

# Appendix B

## DATA TABLES

Table B.1: MCAH Indicators by Race/Ethnicity, 2001-2003, Alameda County, Total Counts, 3-Year Average Rates, and 95% Confidence Limits _____	160	Table B.15: Cancer Incidence by Gender and Race/Ethnicity, Alameda County, 2000-2002, Total Counts, 3-Year Average Rates, and 95% Confidence Limits _____	174
Table B.2: Historical Infant Mortality by Race/Ethnicity, 1990-2003, Annual Counts, Rates (per 1,000 Births), and 95% Confidence Limits _____	161	Table B.16: Historical Chronic Disease Hospitalization by Race/Ethnicity, Alameda County, 1991-2003, Annual Counts, Rates, and 95% Confidence Limits _____	175
Table B.3: Historical Low Birth Weight by Race/Ethnicity, Alameda County, 1990-2003, Annual Counts, Percentages, and 95% Confidence Limits _____	162	Table B.17: Historical Hospitalizations by Race/Ethnicity, Alameda County, 1991-2003, Annual Counts, Rates, and 95% Confidence Limits _____	176
Table B.4: Historical Early Prenatal Care by Race/Ethnicity, Alameda County, 1990-2003, Annual Counts, Percentages, and 95% Confidence Limits _____	163	Table B.18: Historical Injury Hospitalizations by Race/Ethnicity, Alameda County, 1991-2003, Annual Counts, Rates, and 95% Confidence Limits _____	177
Table B.5: Historical Teen Births by Race/Ethnicity, Alameda County, 1990-2003, Annual Counts, Rates (per 1,000 Females 15-19 years), and 95% Confidence Limits _____	164	Table B.19: Historical Cancer Incidence by Race/Ethnicity, Alameda County, 1990-2002, Annual Counts, Rates, and 95% Confidence Limits _____	178
Table B.6: Mortality by Gender and Race/Ethnicity, Alameda County, 2001-2003, Counts, 3-Year Average Rates, 95% Confidence Limits _____	165	Table B.20: Historical Cancer Incidence by Race/Ethnicity, Alameda County, 1990-2002, Annual Counts, Rates, and 95% Confidence Limits _____	179
Table B.7: Cancer Mortality by Gender and Race/Ethnicity, Alameda County, 2001-2003, Counts, 3-Year Average Rates, and 95% Confidence Limits _____	166	Table B.21: Tuberculosis Cases, Alameda County, 2002-2004, Total Counts, 3-Year Average Rates, and 95% Confidence Limits _____	180
Table B.8: Injury Mortality by Gender and Race/Ethnicity, Alameda County, 2001-2003, Counts, 3-Year Average Rates, and 95% Confidence Limits _____	167	Table B.22: AIDS Cases, Alameda County, 2002-2004, Total Counts, 3-Year Average Rates, and 95% Confidence Limits _____	181
Table B.9: Historical Mortality, Alameda County, 1990-2003, Annual Counts, Rates, and 95% Confidence Limits _____	168	Table B.23: Gonorrhea Cases, Alameda County, 2002-2004, Total Counts, 3-Year Average Rates, and 95% Confidence Limits _____	182
Table B.10: Historical Chronic Disease Mortality, Alameda County, 1990-2003, Annual Counts, Rates, and 95% Confidence Limits _____	169	Table B.24: Chlamydia Cases, Alameda County, 2002-2004, Total Counts, 3-Year Average Rates, and 95% Confidence Limits _____	183
Table B.11: Historical Cancer Mortality, Alameda County, 1990-2003, Annual Counts, Rates, and 95% Confidence Limits _____	170	Table B.25: Historical Communicable Disease, Alameda County, 1980-2004, Annual Counts, Rates, and 95% Confidence Limits _____	184
Table B.12: Historical Injury Mortality, Alameda County, 1990-2003, Annual Counts, Rates, and 95% Confidence Limits _____	171		
Table B.13: Chronic Disease Hospitalizations by Gender and Race/Ethnicity, Alameda County, 2001-2003, Counts, Rates, and 95% Confidence Limits _____	172		
Table B.14: Injury Hospitalization by Gender and Race/Ethnicity, Alameda County, 2001-2003, Counts, 3-Year Average Rates, and 95% Confidence Limits _____	173		

Table B. 1: MCAH Indicators by Race/Ethnicity, 2001-2003, Alameda County, Total Counts, 3-Year Average Rates, and 95% Confidence Limits

	Infant Mortality*			Low Birthweight			Early Prenatal Care			Teen Birth Rate**					
	3-Yr Total	Births	Rate	LCL	UCL	3-Yr Total	Births	Percent	LCL	UCL	3-Yr Total	Pop'n	Rate	LCL	UCL
All Races	319	65,275	4.9	4.4	5.4	4,566	65,274	7.0	6.8	7.2	58,305	64,289	90.7	90.5	90.9
AfrAm	100	8,574	11.7	9.4	13.9	1,064	8,573	12.4	11.7	13.1	7,445	8,404	88.6	87.9	89.3
AmerInd	1	238				16	238	6.7	3.5	9.9	201	236	85.2	80.6	89.7
Asian	58	16,543	3.5	2.7	4.5	1,182	16,543	7.1	6.8	7.5	15,105	16,425	92.0	91.5	92.4
Latino	83	19,266	4.3	3.4	5.3	1,054	19,266	5.5	5.1	5.8	16,398	18,736	87.5	87.0	88.0
PacIsl	3	717				43	717	6.0	4.3	7.7	536	698	76.8	73.7	79.9
White	65	18,013	3.6	2.8	4.6	1,067	18,013	5.9	5.6	6.3	16,888	17,923	94.2	93.9	94.6
Other						53	973	5.4	4.0	6.9	882	922	95.7	94.3	97.0
Multirace	9	951				87	951	9.1	7.3	11.0	850	945	89.9	88.0	91.9

\* Rate per 1000 births

\*\* Rate per 1000 females 15-19 years

Note: Numbers of total births vary by indicator since cases with missing data were excluded.

Table B.2: Historical Infant Mortality by Race/Ethnicity, 1990-2003, Annual Counts, Rates (per 1,000 Births), and 95% Confidence Limits

Year	All Races						AfrAm						AmerInd					
	Cases	Births	Rate	LCL	UCL		Cases	Births	Rate	LCL	UCL		Cases	Births	Rate	LCL	UCL	
1990	206	23,315	8.8	7.6	10.0		86	4,856	17.7	14.2	21.9		1	102				
1991	178	23,146	7.7	6.6	8.8		56	4,829	11.6	8.8	15.1			85				
1992	163	22,647	7.2	6.1	8.3		60	4,822	12.4	9.5	16.0		1	111				
1993	135	21,910	6.2	5.1	7.2		61	4,481	13.6	10.4	17.5		1	109				
1994	137	21,460	6.4	5.3	7.5		48	4,264	11.3	8.3	14.9			103				
1995	115	20,441	5.6	4.6	6.7		46	3,969	11.6	8.5	15.5			114				
1996	122	20,659	5.9	4.9	7.0		50	3,694	13.5	10.0	17.8			113				
1997	125	20,761	6.0	5.0	7.1		46	3,711	12.4	9.1	16.5			107				
1998	107	20,907	5.1	4.1	6.1		41	3,402	12.1	8.6	16.3			119				
1999	109	20,475	5.3	4.3	6.3		41	3,350	12.2	8.8	16.6			102				
2000	101	22,146	4.6	3.7	5.5		27	3,181	8.5	5.6	12.3			69				
2001	132	21,993	6.0	5.0	7.0		45	3,104	14.5	10.6	19.4			80				
2002	90	21,754	4.1	3.3	5.1		25	2,826	8.8	5.7	13.1		1	68				
2003	97	21,528	4.5	3.7	5.5		30	2,644	11.3	7.7	16.2			90				

  

Year	API						Latino						White					
	Cases	Births	Rate	LCL	UCL		Cases	Births	Rate	LCL	UCL		Cases	Births	Rate	LCL	UCL	
1990	15	3,677	4.1	2.3	6.7		25	4,210	5.9	3.8	8.8		77	9,885	7.8	6.1	9.7	
1991	17	3,669	4.6	2.7	7.4		36	4,627	7.8	5.4	10.8		67	9,299	7.2	5.6	9.2	
1992	23	4,034	5.7	3.6	8.6		27	4,871	5.5	3.7	8.1		52	8,763	5.9	4.4	7.8	
1993	12	4,088	2.9	1.5	5.1		27	4,943	5.5	3.6	7.9		34	8,243	4.1	2.9	5.8	
1994	26	4,308	6.0	3.9	8.8		18	4,827	3.7	2.2	5.9		45	7,899	5.7	4.2	7.6	
1995	14	4,195	3.3	1.8	5.6		22	4,899	4.5	2.8	6.8		33	7,165	4.6	3.2	6.5	
1996	24	4,389	5.5	3.5	8.1		23	5,254	4.4	2.8	6.6		25	7,023	3.6	2.3	5.3	
1997	13	4,513	2.9	1.5	4.9		24	5,397	4.4	2.8	6.6		42	6,655	6.3	4.5	8.5	
1998	18	4,689	3.8	2.3	6.1		20	5,679	3.5	2.2	5.4		28	6,541	4.3	2.8	6.2	
1999	18	4,766	3.8	2.2	6.0		26	5,739	4.5	3.0	6.6		24	6,416	3.7	2.4	5.6	
2000	19	5,605	3.4	2.0	5.3		24	6,274	3.8	2.5	5.7		25	6,560	3.8	2.5	5.6	
2001	25	5,639	4.4	2.9	6.5		34	6,403	5.3	3.7	7.4		25	6,239	4.0	2.6	5.9	
2002	13	5,891	2.2	1.2	3.8		25	6,470	3.9	2.5	5.7		22	5,874	3.7	2.3	5.7	
2003	23	5,730	4.0	2.5	6.0		24	6,393	3.8	2.4	5.6		18	5,900	3.1	1.8	4.8	





Table B.5: Historical Teen Births by Race/Ethnicity, Alameda County, 1990-2003, Annual Counts, Rates (per 1,000 Females 15-19 years), and 95% Confidence Limits

	All Races						AfrAm						AmerInd					
	Cases	Pop'n	Rate	LCL	UCL		Cases	Pop'n	Rate	LCL	UCL		Cases	Pop'n	Rate	LCL	UCL	
1990	2,177	40,855	53.3	51.0	55.5	950	8,357	113.7	106.4	120.9	16	267	59.9	34.3	97.3			
1991	2,183	40,493	53.9	51.6	56.2	920	8,124	113.2	105.9	120.6	11	292	37.7	18.8	67.4			
1992	2,212	41,489	53.3	51.1	55.5	947	8,098	116.9	109.5	124.4	15	328	45.7	25.6	75.4			
1993	2,049	42,344	48.4	46.3	50.5	807	8,012	100.7	93.8	107.7	16	366	43.7	25.0	71.0			
1994	1,913	43,271	44.2	42.2	46.2	766	7,957	96.3	89.5	103.1	14	401	34.9	19.1	58.6			
1995	1,968	43,924	44.8	42.8	46.8	719	7,906	90.9	84.3	97.6	18	430	41.9	24.8	66.2			
1996	1,828	44,502	41.1	39.2	43.0	654	7,785	84.0	77.6	90.4	18	462	39.0	23.1	61.6			
1997	1,777	45,229	39.3	37.5	41.1	620	7,779	79.7	73.4	86.0	18	499	36.1	21.4	57.0			
1998	1,756	45,458	38.6	36.8	40.4	541	7,895	68.5	62.8	74.3	16	530	30.2	17.3	49.0			
1999	1,595	45,376	35.2	33.4	36.9	511	7,981	64.0	58.5	69.6	15	560	26.8	15.0	44.2			
2000	1,692	45,134	37.5	35.7	39.3	484	7,437	65.1	59.3	70.9	6	217						
2001	1,573	45,653	34.5	32.8	36.2	454	7,376	61.6	55.9	67.2	10	327	30.6	14.7	56.2			
2002	1,369	45,428	30.1	28.5	31.7	339	7,536	45.0	36.6	54.8	2	313						
2003	1,306	45,830	28.5	27.0	30.0	317	7,856	40.4	32.8	49.1	9	308						

  

	API						Latino						White					
	Cases	Pop'n	Rate	LCL	UCL		Cases	Pop'n	Rate	LCL	UCL		Cases	Pop'n	Rate	LCL	UCL	
1990	129	7,269	17.7	14.7	20.8	530	7,790	68.0	62.2	73.8	487	17,172	28.4	25.8	30.9			
1991	129	7,702	16.7	13.9	19.6	628	8,123	77.3	71.3	83.4	429	16,252	26.4	23.9	28.9			
1992	161	8,318	19.4	16.4	22.3	658	8,691	75.7	69.9	81.5	429	16,054	26.7	24.2	29.3			
1993	174	8,825	19.7	16.8	22.6	681	9,229	73.8	68.2	79.3	368	15,912	23.1	20.8	25.5			
1994	156	9,455	16.5	13.9	19.1	636	9,703	65.5	60.5	70.6	339	15,755	21.5	19.2	23.8			
1995	148	10,084	14.7	12.3	17.0	705	10,045	70.2	65.0	75.4	370	15,459	23.9	21.5	26.4			
1996	157	10,681	14.7	12.4	17.0	676	10,368	65.2	60.3	70.1	312	15,206	20.5	18.2	22.8			
1997	144	11,265	12.8	10.7	14.9	689	10,683	64.5	59.7	69.3	279	15,003	18.6	16.4	20.8			
1998	165	11,595	14.2	12.1	16.4	711	10,679	66.6	61.7	71.5	286	14,759	19.4	17.1	21.6			
1999	124	11,534	10.8	8.9	12.6	699	10,594	66.0	61.1	70.9	241	14,707	16.4	14.3	18.5			
2000	156	10,409	15.0	12.6	17.3	791	10,577	74.8	69.6	80.0	213	14,505	14.7	12.7	16.7			
2001	132	11,111	11.9	9.9	13.9	745	11,188	66.6	61.8	71.4	185	13,613	13.6	11.6	15.5			
2002	88	10,626	8.3	6.6	10.2	742	10,966	67.7	62.8	72.5	166	13,874	12.0	9.7	14.6			
2003	78	10,159	7.7	6.1	9.6	682	10,828	63.0	58.3	67.7	189	14,472	13.1	10.6	15.9			

Table B.6: Mortality by Gender and Race/Ethnicity, Alameda County, 2001-2003, Counts, 3-Year Average Rates, \* 95% Confidence Limits

All Causes	Both Sexes				Female				Male			
	3-Yr Total	Rate	LCL	UCL	3-Yr Total	Rate	LCL	UCL	3-Yr Total	Rate	LCL	UCL
All Races	28,784	742.2	733.5	750.8	14,679	633.6	623.3	644.0	14,105	884.1	869.2	899.1
AfrAm	6,133	1125.4	1097.0	1153.7	3,037	925.9	892.8	959.0	3,096	1399.6	1348.6	1450.6
AmerInd	72	444.5	347.8	559.7	37	419.7	295.5	578.5	35	527.3	367.3	733.4
Asian	3,270	451.8	435.8	467.7	1,513	368.6	349.7	387.5	1,757	564.1	536.2	591.9
Latino	2,275	597.2	570.4	624.0	1,026	497.3	465.5	529.1	1,249	726.5	679.1	773.9
PacIsl	154	818.2	671.1	965.3	74	809.6	635.7	1016.4	80	846.2	671.0	1053.2
White	16,751	790.6	778.4	802.7	8,932	682.2	667.5	696.9	7,819	930.9	910.1	951.8
Multirace	116	180.9	144.4	217.5	57	159.4	120.8	206.6	59	212.4	161.7	273.9
All Races	75	1.9	1.5	2.4	39	1.7	1.2	2.4	36	2.3	1.6	3.2
AfrAm	20	3.3	2.0	5.1								
API	15	2.5	1.4	4.2								
Latino	6											
White	32	1.4	1.0	2.0								
Multirace	2											
All Races	6,099	160.3	156.2	164.3	3,112	131.4	126.7	136.0	2,987	198.2	190.9	205.4
AfrAm	1,246	235.5	222.4	248.6	654	198.5	183.2	213.8	592	285.7	262.0	309.4
AmerInd	8				3				5			
Asian	654	97.4	89.7	105.0	296	78.5	69.5	87.5	358	121.2	108.1	134.4
Latino	370	119.2	106.6	131.8	183	102.0	87.1	117.0	187	140.5	118.4	162.6
PacIsl	35	187.2	130.4	260.3	12	139.5	72.1	243.8	23	250.4	158.8	375.8
White	3,765	172.0	166.4	177.6	1,958	138.1	131.8	144.5	1,807	216.7	206.7	226.8
Multirace	19	40.1	24.1	62.5	6				13	59.8	31.9	102.3
All Races	2,402	63.1	60.6	65.7	1,461	61.5	58.3	64.7	941	64.1	59.9	68.2
AfrAm	498	95.2	86.8	103.6	290	87.7	77.6	97.9	208	102.5	88.2	116.9
AmerInd	3				1				2			
Asian	350	51.4	45.9	57.0	194	49.5	42.4	56.5	156	53.4	44.6	62.1
Latino	173	54.4	46.0	62.9	95	50.3	40.7	61.5	78	59.6	47.1	74.4
PacIsl	12	75.0	38.7	131.0	8				4			
White	1,355	60.6	57.4	63.9	864	60.0	55.8	64.1	491	60.4	55.0	65.7
Multirace	11	19.7	9.8	35.3	9				2			
All Races	868	22.7	21.2	24.2	456	20.5	18.6	22.3	412	25.9	23.3	28.4
AfrAm	247	45.9	40.1	51.6	139	43.2	36.0	50.4	108	50.1	40.3	59.8
AmerInd	5				4				1			
Asian	118	16.9	13.8	20.0	54	13.4	10.1	17.5	64	21.6	16.6	27.5
Latino	110	32.4	26.1	38.7	61	32.0	24.5	41.1	49	32.5	24.1	43.0
PacIsl	11	55.6	27.7	99.4	7				4			
White	371	17.9	16.1	19.8	187	15.4	13.1	17.7	184	21.5	18.4	24.6
Multirace	5				4				1			

\* Rates are per 100,000 and are age-adjusted by the direct method to the 2000 U.S. population.

Table B.7: Cancer Mortality by Gender and Race/Ethnicity, Alameda County, 2001-2003, Counts, 3-Year Average Rates, \* and 95% Confidence Limits

	Both Sexes			Female			Male					
	3-Yr Total	Rate	LCL	UCL	3-Yr Total	Rate	LCL	UCL	3-Yr Total	Rate	LCL	UCL
All Races	6,835	178.2	173.9	182.4	3,362	151.8	146.6	157.0	3,473	216.8	209.4	224.1
AfrAm	1,395	258.1	244.5	271.7	683	211.1	195.2	227.0	712	330.3	305.4	355.1
AmerInd	18	100.1	59.3	158.2	9				9			
Asian	874	110.7	103.2	118.2	400	88.5	79.7	97.3	474	141.7	128.4	154.9
Latino	466	126.7	114.6	138.8	213	101.6	87.6	115.6	253	164.0	141.7	186.3
PacIsl	33	170.6	117.4	239.6	16	188.4	107.7	306.0	17	135.9	79.1	217.5
White	4,025	199.2	192.9	205.4	2,028	174.3	166.5	182.1	1,997	235.6	225.1	246.0
Multirace	22	34.5	21.6	52.2	12	29.6	15.3	51.7	10	42.9	20.6	78.8
All Races	1,785	47.4	45.2	49.6	807	37.3	34.7	39.9	978	60.9	57.0	64.8
AfrAm	409	76.1	68.7	83.5	177	55.7	47.5	64.0	232	104.7	91.0	118.4
AmerInd	6				4				2			
Asian	217	28.3	24.5	32.1	73	17.1	13.4	21.4	144	43.0	35.8	50.3
Latino	79	22.9	18.1	28.5	27	13.3	8.7	19.3	52	37.8	28.2	49.6
PacIsl	5				2				3			
White	1,063	53.8	50.5	57.0	522	46.3	42.2	50.4	541	63.7	58.3	69.2
Multirace	6				2				4			
All Races	684	17.9	16.5	19.2	355	15.8	14.1	17.4	329	20.3	18.0	22.5
AfrAm	139	25.8	21.5	30.2	74	22.9	18.0	28.8	65	29.6	22.9	37.8
AmerInd	1								1			
Asian	104	13.8	11.1	16.5	54	12.5	9.4	16.3	50	15.5	11.5	20.5
Latino	41	11.2	8.1	15.2	17	8.5	5.0	13.7	24	14.2	9.1	21.2
PacIsl	2				0				2			
White	395	19.2	17.3	21.1	209	17.0	14.6	19.3	186	21.6	18.5	24.8
Multirace	2				1				1			
All Races					549	24.5	22.5	26.6				
AfrAm					116	35.1	28.7	41.5				
AmerInd					4							
Asian					59	12.2	9.3	15.8				
Latino					36	16.2	11.3	22.4				
PacIsl					3							
White					326	29.0	25.8	32.2				
Multirace					5							
All Races									432	30.2	27.3	33.1
AfrAm									124	66.9	54.9	78.9
Asian									28	11.1	7.4	16.0
Latino									25	21.5	13.9	31.7
PacIsl									2			
White									251	30.9	27.0	34.7
Multirace									1			

\*Rates are per 100,000 and are age-adjusted to the 2000 U.S. population.

Table B.8: Injury Mortality by Gender and Race/Ethnicity, Alameda County, 2001-2003, Counts, 3-Year Average Rates,\* and 95% Confidence Limits

	Both Sexes			Female			Male						
	3-Yr Total	Rate	LCL	UCL	3-Yr Total	Rate	LCL	UCL	3-Yr Total	Rate	LCL	UCL	
Unintentional Injury	All Races	1,043	24.2	22.7	25.7	343	14.9	13.3	16.4	700	34.8	32.1	37.5
	AfrAm	239	39.6	34.5	44.6	76	22.6	17.8	28.3	163	61.7	52.0	71.4
	AmerInd	3				1				2			
	Asian	143	17.0	14.1	19.9	52	12.3	9.2	16.1	91	22.1	17.8	27.2
	Latino	160	23.0	18.8	27.2	37	11.2	7.9	15.5	123	36.8	28.1	45.5
	PacIsl	7				2				5			
	White	480	24.7	22.4	26.9	173	15.7	13.3	18.2	307	34.5	30.6	38.5
	Multirace	8				2				6			
Motor Vehicle Accidents	All Races	333	7.6	6.8	8.4	89	4.0	3.2	4.9	244	11.4	9.9	12.9
	AfrAm	66	10.9	8.4	13.9	18	5.4	3.2	8.6	48	18.0	13.3	23.9
	AmerInd	1				0				1			
	Asian	72	7.9	6.2	9.9	28	6.2	4.1	9.0	44	9.4	6.8	12.6
	Latino	71	8.8	6.9	11.2	15	4.2	2.4	7.0	56	13.4	10.1	17.4
	PacIsl	4				1				3			
	White	116	6.5	5.3	7.7	27	2.7	1.8	4.0	89	10.3	8.3	12.7
	Multirace	1				0				1			
Homicide	All Races	386	8.2	7.4	9.0	64	2.7	2.1	3.5	322	13.6	12.1	15.1
	AfrAm	254	40.0	35.1	44.9	35	10.3	7.1	14.3	219	75.4	65.4	85.4
	AmerInd	2				2				0			
	Asian	28	2.5	1.7	3.6	11	1.9	1.0	3.4	17	3.2	1.8	5.1
	Latino	56	5.4	4.1	7.1	5				51	9.2	6.8	12.1
	PacIsl	3				1				2			
	White	38	2.1	1.5	2.9	10	1.2	0.6	2.2	28	3.0	2.0	4.4
	Multirace	5				0				5			
Suicide	All Races	356	8.2	7.3	9.1	81	3.5	2.8	4.3	275	14.0	12.3	15.7
	AfrAm	35	5.7	4.0	8.0	9				26	9.5	6.2	13.9
	AmerInd	1				0				1			
	Asian	39	3.8	2.7	5.2	12	2.1	1.1	3.6	27	6.0	4.0	8.8
	Latino	36	4.9	3.4	6.8	6				30	7.9	5.3	11.3
	PacIsl	3				0				3			
	White	241	12.5	10.9	14.1	54	5.5	4.1	7.1	187	21.0	17.9	24.0
	Multirace	1				0				1			

\*Rates are per 100,000 and are age-adjusted by the direct method to the 2000 U.S. population

Table B.9: Historical Mortality, Alameda County, 1990-2003, Annual Counts, Rates, and 95% Confidence Limits

	All Races			African American			American Indian			API			Latino			White										
	Count	Rate	UCL	Count	Rate	LCL	Count	Rate	LCL	Count	Rate	LCL	Count	Rate	LCL	Count	Rate	LCL	UCL							
All Causes	1990	9,535	952.9	933.4	972.3	2,021	1,254.3	1,197.0	1,311.7	16	385.9	220.6	626.7	602	631.0	574.7	687.4	628	724.6	662.0	787.2	6,259	955.3	931.6	979.1	
	1991	9,739	953.9	934.7	973.1	1,999	1,221.1	1,165.4	1,276.8	13	250.7	133.5	428.7	635	627.1	573.1	681.1	675	746.9	684.2	809.6	6,397	967.6	943.8	991.4	
	1992	9,495	909.7	891.1	928.2	2,131	1,282.3	1,225.9	1,338.6	23	430.7	273.0	646.2	696	638.0	585.8	690.2	554	584.2	530.5	637.8	6,043	904.3	881.4	927.2	
	1993	9,801	925.7	907.2	944.2	2,140	1,290.3	1,234.0	1,346.7	24	395.1	253.2	587.9	762	642.9	592.8	692.9	592	589.6	537.0	642.3	6,242	930.4	907.3	953.5	
	1994	9,669	906.7	888.4	924.9	2,140	1,284.2	1,228.3	1,340.0	15	232.4	130.1	383.3	805	637.6	589.4	685.8	585	572.6	521.4	623.7	6,119	916.3	893.3	939.3	
	1995	9,839	914.8	896.6	933.1	2,180	1,307.3	1,251.2	1,363.4	33	382.3	263.2	536.9	784	605.0	559.0	650.9	718	722.0	664.0	780.0	6,120	921.5	898.4	944.7	
	1996	9,625	889.1	871.2	907.0	2,067	1,242.3	1,187.7	1,296.8	28	345.7	229.7	499.7	858	594.7	551.9	637.5	677	657.4	602.8	712.0	5,995	904.9	881.9	927.8	
	1997	9,518	859.1	841.7	876.5	2,092	1,245.1	1,190.9	1,299.3	32	311.5	213.1	439.8	931	612.7	570.5	654.9	618	589.6	538.6	640.6	5,843	873.5	851.0	896.0	
	1998	9,760	869.3	852.0	886.7	2,064	1,224.0	1,170.4	1,277.5	20	176.0	107.5	271.9	953	574.6	535.7	613.6	649	647.8	593.7	701.9	6,072	903.0	880.2	925.8	
	1999	9,809	833.2	816.6	849.7	2,050	1,179.1	1,127.5	1,230.8	30	271.7	183.3	387.9	1,026	544.5	509.4	579.6	721	647.2	595.8	698.6	5,980	863.3	841.3	885.4	
	2000	9,781	782.7	767.1	798.3	2,056	1,146.1	1,096.2	1,196.0	31	679.0	461.4	963.8	1,039	485.6	455.0	516.3	761	644.8	595.3	694.3	5,858	815.6	794.5	836.7	
	2001	9,636	763.0	747.7	778.3	1,988	1,107.4	1,058.4	1,156.4	29	558.5	374.0	802.1	1,115	481.1	451.8	510.5	721	604.4	555.9	652.9	5,750	821.5	799.9	843.1	
	2002	9,490	734.0	719.1	748.8	2,106	1,158.6	1,108.7	1,208.4	20	459.1	280.5	709.1	1,132	454.8	427.5	482.1	742	589.7	543.6	635.8	5,442	772.1	751.3	793.0	
	2003	9,658	733.4	718.7	748.1	2,039	1,106.4	1,057.9	1,154.8	23	343.9	218.0	516.1	1,177	458.7	431.8	485.6	812	593.8	549.3	638.2	5,559	778.0	757.3	798.8	
	CHD	1990	2,476	263.8	253.3	274.3	440	311.8	281.7	341.8	2				152	182.0	150.2	213.7	134	193.6	159.2	228.0	1,748	271.9	259.1	284.6
		1991	2,343	244.6	234.6	254.6	401	276.5	248.8	304.2	4				135	150.8	123.3	178.3	129	182.4	149.6	215.2	1,671	255.9	243.6	268.2
		1992	2,288	231.2	221.7	240.7	435	295.9	267.6	324.2	2				164	162.7	135.8	189.6	94	119.5	96.6	146.3	1,586	238.8	227.0	250.5
		1993	2,339	234.4	224.8	243.9	445	301.9	273.4	330.4	2				134	130.9	107.0	154.7	114	148.2	120.1	162.2	1,638	244.8	233.0	256.7
		1994	2,332	230.4	221.0	239.8	432	289.2	261.6	316.8	4				164	146.2	122.3	170.2	110	136.4	109.9	162.9	1,622	242.1	230.3	253.9
		1995	2,360	230.7	221.3	240.0	434	290.9	263.2	318.5	5				181	153.9	130.1	177.7	127	161.1	132.0	190.2	1,611	241.8	230.0	253.7
1996		2,334	225.1	216.0	234.3	414	271.6	245.2	298.0	7				179	147.4	124.6	170.2	144	177.6	147.5	207.6	1,590	238.4	226.7	250.1	
1997		2,235	209.8	201.1	218.6	446	288.2	261.3	315.2	3				182	134.1	113.6	154.7	115	143.9	116.9	171.0	1,487	219.7	208.5	230.9	
1998		2,339	215.6	206.9	224.4	477	300.2	273.1	327.4	3				200	128.4	109.7	147.1	145	176.9	147.2	206.6	1,514	223.2	211.9	234.4	
1999		2,300	200.8	192.6	209.1	438	267.6	242.4	292.9	6				224	130.7	112.9	148.6	144	160.2	133.3	187.2	1,488	211.9	201.1	222.7	
2000	2,285	186.7	179.1	194.4	460	265.8	241.4	290.2	4				199	100.3	85.9	114.6	148	152.8	127.6	178.0	1,467	199.2	188.9	209.5		
2001	2,129	172.0	164.7	179.4	426	245.2	221.8	268.5	6				222	102.5	88.6	116.4	106	109.1	87.4	130.9	1,365	188.0	177.9	198.1		
2002	2,052	161.9	154.9	169.0	441	250.7	227.2	274.3	1				244	106.0	92.4	119.7	142	140.6	116.7	164.5	1,216	167.0	157.4	176.5		
2003	1,918	148.3	141.6	154.9	379	210.8	189.4	232.2	1				223	93.1	80.6	105.6	122	107.4	87.6	127.1	1,184	161.7	152.3	171.0		
Stroke	1990	730	79.5	73.7	85.3	134	97.7	80.7	114.8	1				48	61.6	45.4	81.7	43	59.0	42.7	79.5	502	78.8	71.9	85.7	
	1991	770	81.2	75.4	87.0	152	106.4	89.0	123.7	0				75	84.6	66.5	106.0	52	70.5	52.6	92.4	489	75.4	68.7	82.0	
	1992	770	79.1	73.5	84.7	156	104.0	87.3	120.6	1				72	77.4	60.6	97.5	41	55.8	40.1	75.7	497	75.2	68.5	81.8	
	1993	753	75.5	70.1	80.9	155	104.9	88.1	121.7	2				76	64.7	51.0	81.0	43	54.9	39.8	74.0	476	71.2	64.8	77.6	
	1994	741	73.5	68.2	78.8	135	91.6	75.9	107.3	0				81	77.8	61.7	96.6	42	50.6	36.4	68.4	482	71.8	65.3	78.2	
	1995	764	74.3	69.0	79.5	149	97.1	81.3	112.9	1				85	70.1	56.0	86.7	52	63.6	47.5	83.4	477	70.9	64.5	77.2	
	1996	750	72.3	67.1	77.5	164	106.9	90.4	123.5	3				98	74.5	60.5	90.8	50	59.3	44.0	78.1	435	65.0	58.9	71.1	
	1997	786	74.1	68.9	79.3	163	107.6	91.0	124.3	1				127	91.0	74.2	107.8	39	42.1	29.9	57.6	456	67.0	60.9	73.2	
	1998	793	73.4	68.2	78.5	170	106.9	90.6	123.1	0				107	74.6	59.9	89.3	54	64.5	48.4	84.1	461	68.0	61.8	74.2	
	1999	838	73.7	68.7	78.7	166	102.7	86.9	118.4	0				107	63.5	51.0	76.0	49	54.1	40.1	71.6	516	71.9	65.7	78.1	
2000	869	71.1	66.4	75.9	178	103.0	87.8	118.1	2				120	61.5	50.2	72.9	58	58.4	44.3	75.4	505	67.6	61.7	73.6		
2001	835	67.6	63.0	72.2	159	92.3	77.9	106.7	2				117	54.9	44.7	65.2	66	67.7	52.4	86.1	479	64.8	58.9	70.6		
2002	752	59.3	55.1	63.6	168	96.6	81.9	111.2	1				104	45.5	36.5	54.5	46	43.8	32.0	58.4	427	57.2	51.7	62.7		
2003	815	62.9	58.6	67.3	171	96.4	81.8	110.9	0				129	52.7	43.4	62.0	61	52.3	40.0	67.2	449	60.1	54.5	65.7		

Table B.10: Historical Chronic Disease Mortality, Alameda County, 1990-2003, Annual Counts, Rates, and 95% Confidence Limits

	All Races			African American			American Indian			API			Latino			White		
	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI	Count	Rate	95% CI
1990	151	15.0	12.6 17.5	47	28.9	21.3 38.5	1			15	18.6	10.4 30.7	18	27.8	16.5 44.0	70	10.6	8.3 13.4
1991	173	16.6	14.1 19.2	58	36.5	27.7 47.2	0			8			20	24.5	15.0 37.9	87	12.9	10.3 15.9
1992	166	15.9	13.5 18.3	44	27.9	20.3 37.5	2			18	17.2	10.2 27.3	20	23.8	14.5 36.7	82	12.2	9.7 15.2
1993	187	17.7	15.1 20.3	61	37.2	28.5 47.8	1			21	18.8	11.6 28.8	16	17.3	9.9 28.1	88	13.1	10.5 16.1
1994	217	20.4	17.7 23.2	69	42.8	33.3 54.2	0			24	19.7	12.6 29.4	21	24.5	15.2 37.5	103	15.6	12.6 18.6
1995	261	24.5	21.5 27.4	91	39.2	30.0 50.4	3			43	32.3	23.4 43.5	23	25.1	15.9 37.7	131	19.7	16.4 23.1
1996	266	24.6	21.6 27.5	91	55.7	44.8 68.4	0			23	16.5	10.4 24.7	28	27.9	18.5 40.3	124	18.8	15.5 22.2
1997	253	22.6	19.8 25.4	68	40.1	31.2 50.9	2			38	26.3	18.6 36.1	22	21.4	13.4 32.4	123	18.5	15.3 21.8
1998	251	22.3	19.5 25.0	83	49.3	39.3 61.1	0			29	17.3	11.6 24.8	21	21.0	13.0 32.1	118	17.8	14.6 21.0
1999	284	24.3	21.5 27.2	82	48.4	38.5 60.1	1			40	22.2	15.9 30.2	38	35.8	25.3 49.2	122	18.1	14.9 21.3
2000	276	22.3	19.7 25.0	86	48.9	39.1 60.4	1			32	15.6	10.7 22.0	39	34.3	24.4 46.9	116	16.7	13.6 19.7
2001	283	22.7	20.1 25.4	82	46.0	36.6 57.2	1			36	15.0	10.5 20.8	30	28.6	19.3 40.9	132	19.4	16.1 22.8
2002	276	21.6	19.0 24.1	86	48.0	38.4 59.3	0			40	16.8	12.0 22.9	34	27.9	19.3 39.0	105	15.2	12.3 18.1
2003	309	23.8	21.1 26.5	79	43.3	34.2 53.9	4			42	17.9	12.9 24.2	46	39.7	29.1 53.0	134	19.1	15.8 22.3
1990	2,241	219.2	210.0 228.3	448	287.3	260.1 314.6	3			153	136.8	113.2 160.5	127	149.3	121.8 176.7	1,508	226.8	215.3 238.3
1991	2,313	224.5	215.3 233.7	462	289.2	262.3 316.1	2			176	160.1	134.2 185.9	122	143.8	116.9 170.6	1,546	233.2	221.6 244.9
1992	2,296	220.1	211.0 229.2	474	294.5	267.5 321.4	6			168	145.1	121.2 169.0	140	163.8	135.3 192.2	1,496	224.2	212.8 235.6
1993	2,336	220.5	211.5 229.5	441	278.4	252.0 304.7	2			233	182.7	157.4 208.0	117	129.1	104.4 153.8	1,536	230.5	218.9 242.0
1994	2,241	210.7	201.9 219.4	474	294.7	267.8 321.6	5			211	148.4	127.0 169.9	113	119.5	96.4 142.7	1,438	217.8	206.5 229.1
1995	2,293	214.7	205.9 223.5	490	304.2	277.0 331.4	1			183	130.9	110.6 151.2	153	163.5	136.2 190.9	1,466	224.1	212.6 235.6
1996	2,238	207.2	198.6 215.8	451	279.5	253.4 305.5	4			242	154.6	133.9 175.3	135	137.3	112.8 161.8	1,406	215.6	204.3 226.8
1997	2,203	198.5	190.1 206.8	478	289.7	263.5 315.9	8			241	145.4	125.8 165.0	143	141.7	117.0 166.3	1,333	202.8	191.9 213.7
1998	2,210	195.0	186.8 203.2	446	264.6	239.8 289.4	3			245	128.6	111.6 145.6	132	137.0	112.5 161.5	1,384	208.6	197.6 219.6
1999	2,319	196.5	188.4 204.5	487	283.4	258.0 308.8	7			295	140.6	123.9 157.4	151	133.0	110.5 155.5	1,379	204.0	193.2 214.8
2000	2,392	192.6	184.8 200.3	459	258.0	234.3 281.8	4			293	129.4	114.1 144.7	163	137.9	115.8 160.1	1,469	212.3	201.4 223.3
2001	2,307	184.8	177.2 192.4	453	253.7	230.2 277.2	9			295	117.2	103.4 131.0	142	128.5	106.3 150.6	1,403	210.8	199.7 222.0
2002	2,229	174.4	167.1 181.7	474	263.5	239.6 287.3	6			287	103.7	91.4 115.9	147	120.2	99.8 140.6	1,308	195.5	184.7 206.2
2003	2,299	175.6	168.4 182.9	468	256.8	233.3 280.3	3			325	118.3	105.1 131.4	177	130.6	110.2 150.9	1,314	190.2	179.8 200.6
1990	611	58.6	53.9 63.3	113	69.6	56.5 82.6	1			41	34.5	24.8 46.9	26	32.9	21.5 48.3	430	63.9	57.9 70.0
1991	626	60.1	55.4 64.8	138	85.1	70.7 99.5	0			40	39.8	28.4 54.2	20	19.9	12.2 30.8	425	64.0	57.9 70.1
1992	598	56.3	51.8 60.9	140	86.0	71.6 100.4	1			24	18.5	11.9 27.5	25	29.4	19.0 43.4	404	60.2	54.3 66.0
1993	687	64.4	59.6 69.2	120	73.2	60.0 86.5	0			72	57.6	45.1 72.5	19	21.2	12.8 33.1	476	71.7	65.3 78.2
1994	594	55.8	51.3 60.3	125	76.5	63.0 90.1	1			50	36.4	27.0 48.0	25	27.1	17.5 40.0	393	59.9	53.9 65.8
1995	648	60.9	56.2 65.6	149	92.6	77.7 107.6	1			36	30.0	21.0 41.5	35	38.7	26.9 53.8	427	66.0	59.7 72.3
1996	607	56.6	52.1 61.1	117	72.4	59.2 85.6	1			51	32.5	24.2 42.8	24	25.2	16.2 37.5	414	63.9	57.7 70.1
1997	582	52.8	48.5 57.1	121	72.7	59.6 85.7	2			53	31.3	23.4 40.9	23	25.4	16.1 38.1	383	58.6	52.7 64.5
1998	564	50.1	45.9 54.2	136	81.0	67.3 94.7	1			47	25.1	18.5 33.4	28	32.4	21.5 46.8	352	53.8	48.1 59.4
1999	610	52.4	48.2 56.5	122	70.9	58.2 83.5	2			58	28.1	21.3 36.3	32	30.8	21.1 43.5	396	59.5	53.6 65.3
2000	633	51.7	47.7 55.8	127	71.0	58.6 83.4	0			68	31.0	24.1 39.3	37	32.7	23.0 45.0	399	58.9	53.1 64.7
2001	636	51.8	47.8 55.8	147	82.6	69.2 96.0	2			64	26.8	20.6 34.2	29	27.5	18.4 39.5	391	60.1	54.0 66.1
2002	572	45.6	41.8 49.3	135	75.4	62.6 88.2	1			75	27.9	22.0 35.0	17	15.5	9.0 24.9	343	52.3	46.7 57.9
2003	577	45.0	41.3 48.7	127	70.7	58.3 83.1	3			83	30.9	24.6 38.3	33	25.5	17.6 35.9	329	48.8	43.4 54.1

Table B.1: Historical Cancer Mortality, Alameda County, 1990-2003, Annual Counts, Rates, and 95% Confidence Limits

Year	All Races			African American			American Indian			API			Latino			White				
	Count	Rate	UCL	Count	Rate	UCL	Count	Rate	UCL	Count	Rate	UCL	Count	Rate	UCL	Count	Rate	UCL		
1990	238	24.1	21.0	40	26.0	18.6	35.4	0	15	13.9	7.8	22.9	19	23.2	14.0	36.3	164	25.1	21.3	29.0
1991	248	24.9	21.7	44	29.0	21.1	38.9	1	16	17.3	9.9	28.2	16	19.7	11.3	32.0	171	25.9	22.0	29.8
1992	243	23.8	20.7	43	27.3	19.8	36.8	2	26	21.7	14.2	31.8	13	17.1	9.1	29.3	158	23.7	20.0	27.5
1993	229	22.1	19.2	41	32.1	23.9	42.3	0	21	19.0	11.8	29.0	11	14.1	7.0	25.3	146	22.0	18.4	25.6
1994	262	25.0	21.9	61	39.9	30.5	51.2	0	22	14.9	9.3	22.5	13	14.9	8.0	25.6	166	25.3	21.4	29.1
1995	207	19.4	16.7	49	30.8	22.8	40.7	0	12	7.5	3.9	13.0	16	14.8	8.5	24.1	130	19.8	16.4	23.2
1996	258	24.4	21.4	50	32.4	24.0	42.7	0	30	20.1	13.6	28.7	15	17.7	9.9	29.1	163	25.0	21.2	28.9
1997	232	21.2	18.5	50	30.8	22.9	40.6	1	22	12.7	8.0	19.3	17	17.8	10.4	28.5	142	21.3	17.8	24.8
1998	225	20.2	17.5	50	30.3	22.5	39.9	0	17	10.1	5.9	16.1	20	22.0	13.4	34.0	138	20.8	17.3	24.3
1999	204	17.7	15.2	48	28.2	20.8	37.4	0	17	8.8	5.1	14.1	11	10.1	5.0	18.0	128	18.7	15.4	22.0
2000	244	19.9	17.4	40	22.5	16.1	30.6	1	34	16.0	11.1	22.4	16	13.6	7.8	22.1	153	21.7	18.3	25.2
2001	218	17.5	15.2	37	21.2	14.9	29.2	0	30	13.0	8.8	18.6	15	12.8	7.1	21.0	135	20.2	16.7	23.6
2002	234	18.2	15.9	51	28.3	21.1	37.2	1	40	14.8	10.6	20.1	14	11.9	6.5	20.0	127	18.2	15.0	21.4
2003	232	17.8	15.5	51	27.6	20.6	36.3	0	36	13.8	9.7	19.1	12	9.1	4.7	15.9	133	19.1	15.8	22.4
1990	204	35.0	30.1	34	37.0	25.6	51.6	1	16	25.4	14.5	41.3	8	14.5	8.5	32.6	145	39.2	32.7	45.7
1991	196	33.8	29.0	37	39.1	27.5	53.9	0	14	22.8	12.5	38.3	9	11.4	7.2	27.6	136	37.2	30.8	43.5
1992	185	30.8	26.4	29	31.3	20.9	44.9	0	13	15.4	8.2	26.3	12	22.1	11.4	38.6	130	33.7	27.8	39.5
1993	193	31.6	27.1	33	34.8	24.0	48.9	0	12	13.1	6.7	22.8	11	21.1	10.5	37.7	135	36.2	30.0	42.4
1994	180	29.1	24.9	43	44.2	32.0	59.5	1	18	18.7	11.1	29.5	3	11.5	8.5	32.6	115	31.0	25.3	36.7
1995	165	26.5	22.5	30	29.9	20.1	42.6	0	10	10.8	5.2	19.9	10	17.7	8.5	32.6	115	31.1	25.3	36.8
1996	193	30.7	26.3	35	36.3	25.3	50.5	2	10	9.9	4.7	18.2	14	20.1	11.0	33.6	132	35.6	29.5	41.7
1997	178	27.7	23.6	40	39.6	28.3	53.9	0	20	17.7	10.8	27.3	14	20.4	11.1	34.2	104	28.1	22.7	33.6
1998	191	28.4	24.4	50	48.1	35.7	63.4	0	18	14.7	8.7	23.2	10	15.0	7.2	27.6	113	29.8	24.3	35.4
1999	184	26.4	22.6	36	33.5	23.5	46.4	0	19	13.8	8.3	21.5	12	17.5	9.0	30.5	117	30.9	25.3	36.6
2000	205	28.2	24.3	38	34.5	24.4	47.3	0	19	11.5	6.7	18.4	17	23.4	13.6	37.5	131	34.2	28.2	40.1
2001	178	24.3	20.7	32	29.3	20.0	41.3	3	24	14.8	9.4	22.2	7	16.4	12.3	35.0	112	30.1	24.4	35.8
2002	184	24.8	21.2	52	47.5	35.4	62.2	1	19	10.1	5.9	16.2	16	21.5	12.3	35.0	93	25.0	20.2	30.6
2003	187	24.6	21.0	32	28.3	19.3	39.9	0	19	11.4	6.8	17.8	13	16.4	8.7	28.1	121	31.5	25.7	37.2
1990	136	38.4	31.6	47	96.2	70.7	127.9	0	10	26.0	12.5	47.8	3	16.4	8.7	28.1	76	31.7	25.0	39.7
1991	153	43.0	35.9	47	79.9	58.7	106.2	0	4	26.0	12.5	47.8	6	16.4	8.7	28.1	96	41.9	33.9	51.2
1992	170	47.3	39.9	46	81.8	59.9	109.1	0	9	26.0	12.5	47.8	10	37.3	17.9	68.6	105	44.8	36.1	53.6
1993	181	47.7	40.6	50	93.7	69.6	123.6	1	13	28.7	15.3	49.1	8	37.3	17.9	68.6	108	43.5	35.1	51.8
1994	134	34.9	28.9	42	74.4	53.6	100.5	0	1	28.7	15.3	49.1	7	37.3	17.9	68.6	84	33.9	27.0	42.0
1995	150	39.1	32.7	46	84.2	61.7	112.3	0	5	28.7	15.3	49.1	12	43.2	22.3	75.5	87	35.4	28.4	43.7
1996	161	42.2	35.6	53	94.5	70.8	123.6	0	10	18.2	8.7	33.5	6	43.2	22.3	75.5	92	38.9	31.3	47.7
1997	157	39.6	33.3	51	93.1	69.3	122.3	0	13	23.0	12.2	39.3	8	43.1	23.0	73.8	85	34.1	27.3	42.2
1998	140	36.3	30.1	26	47.5	31.0	69.6	0	11	19.8	9.9	35.4	13	43.1	23.0	73.8	90	37.6	30.2	46.2
1999	140	33.8	28.1	41	70.5	50.6	95.6	0	6	19.8	9.9	35.4	5	43.1	23.0	73.8	88	35.0	28.0	43.1
2000	132	29.3	24.2	44	72.5	52.7	97.4	0	9	15.6	8.3	26.7	6	43.1	23.0	73.8	73	27.2	21.3	34.2
2001	140	30.2	25.2	34	55.1	38.2	77.0	0	14	15.6	8.3	26.7	11	27.9	13.9	49.9	81	30.4	24.1	37.7
2002	139	29.1	24.3	39	62.3	44.3	85.2	0	7	15.6	8.3	26.7	5	27.9	13.9	49.9	88	32.8	26.3	40.4
2003	153	31.4	26.3	51	82.7	61.5	108.7	0	9	15.6	8.3	26.7	9	27.9	13.9	49.9	82	29.5	23.4	36.6

Table B.12: Historical Injury Mortality, Alameda County, 1990-2003, Annual Counts, Rates, and 95% Confidence Limits

	All Races			African American			American Indian			API			Latino			White						
	Count	Rate	UCL	LCL	Count	Rate	UCL	LCL	Count	Rate	UCL	LCL	Count	Rate	UCL	LCL	Count	Rate	UCL			
Unintentional Injury	1990	340	28.4	25.3	31.5	79	40.8	32.3	50.8	1	32	25.5	17.5	36.1	41	27.2	19.5	36.9	187	26.8	22.9	30.7
	1991	385	31.6	28.3	34.8	88	41.1	33.0	50.7	1	21	14.1	8.7	21.5	50	24.2	17.9	31.9	221	32.9	28.5	37.3
	1992	334	27.1	24.1	30.0	87	42.6	34.1	52.6	2	28	20.0	13.3	28.8	40	23.1	16.5	31.5	174	25.2	21.4	29.0
	1993	314	23.7	21.0	26.4	96	45.2	36.6	55.2	2	23	13.4	8.5	20.1	39	21.8	15.5	29.8	153	21.8	18.3	25.3
	1994	356	28.3	25.3	31.3	95	46.4	37.5	56.7	1	34	17.7	12.2	24.7	48	28.6	21.1	37.9	177	26.1	22.2	30.0
	1995	378	29.8	26.8	32.9	108	52.6	42.4	62.8	6	41	23.1	16.5	31.3	46	25.7	18.8	34.3	177	27.0	23.0	31.0
	1996	334	26.0	23.2	28.9	85	41.1	32.9	50.9	2	30	15.6	10.5	22.2	51	25.8	19.2	34.0	166	25.2	21.3	29.1
	1997	308	23.6	20.9	26.3	87	41.7	33.4	51.5	4	42	21.5	15.5	29.0	34	19.8	13.7	27.7	141	21.5	17.9	25.0
	1998	337	25.8	23.0	28.6	84	42.4	33.8	52.5	2	27	13.9	9.2	20.3	42	21.9	15.8	29.6	182	27.5	23.4	31.5
	1999	328	24.1	21.4	26.7	90	42.8	34.4	52.7	4	26	9.3	6.1	13.7	49	23.1	17.1	30.6	159	24.2	20.4	28.1
MVA	2000	326	23.4	20.9	26.0	67	32.1	24.8	40.7	0	50	18.6	13.8	24.5	45	21.1	15.4	28.2	158	23.0	19.3	26.6
	2001	335	23.8	21.2	26.3	68	34.5	26.8	43.8	2	52	18.9	14.1	24.8	52	23.0	17.2	30.1	158	24.7	20.7	28.6
	2002	346	23.8	21.3	26.3	90	44.1	35.5	54.3	0	47	14.9	10.9	19.8	56	25.2	19.0	32.7	150	23.3	19.5	27.1
	2003	362	25.0	22.4	27.6	81	39.6	31.5	49.3	1	51	18.2	13.6	24.0	52	21.1	15.8	27.7	172	25.7	21.8	29.6
	1990	146	11.3	9.4	13.1	32	14.9	10.2	21.1	1	19	10.9	6.6	17.1	19	11.8	7.1	18.4	75	10.5	8.3	13.2
	1991	144	11.0	9.1	12.8	26	11.8	7.7	17.3	0	26	10.7	7.0	15.7	26	11.2	7.3	16.4	79	11.7	9.3	14.6
	1992	126	9.9	8.2	11.7	27	13.5	8.9	19.6	0	14	8.6	4.7	14.4	20	11.0	6.7	16.9	63	9.3	7.2	11.9
	1993	111	8.1	6.5	9.6	31	13.1	8.9	18.6	1	15	8.7	4.9	14.4	14	8.4	4.6	14.1	49	7.1	5.3	9.4
	1994	115	8.7	7.1	10.3	31	13.8	9.4	19.6	0	17	7.8	4.5	12.5	21	9.6	5.9	14.7	46	6.9	5.1	9.2
	1995	128	9.7	8.0	11.4	30	13.7	9.2	19.5	3	21	9.7	6.0	14.9	20	9.4	5.7	14.5	54	8.3	6.2	10.8
1996	105	8.0	6.5	9.6	25	11.2	7.3	16.6	0	13	6.4	3.4	11.0	15	7.3	4.1	12.0	52	8.1	6.0	10.6	
1997	100	7.4	5.9	8.9	25	12.0	7.8	17.8	2	18	6.3	3.7	10.0	8	8.6	5.0	13.8	47	7.4	5.4	9.8	
1998	106	7.9	6.4	9.4	26	12.2	8.0	17.9	1	11	5.3	2.6	9.4	17	8.6	5.1	13.8	51	8.2	6.1	10.7	
1999	92	6.6	5.2	7.9	26	12.1	7.9	17.8	0	8	9.1	6.0	13.1	15	7.7	4.3	12.7	43	6.9	5.0	9.3	
2000	116	8.1	6.6	9.6	17	8.2	4.8	13.1	0	28	9.1	6.0	13.1	25	9.4	6.1	13.9	43	6.6	4.8	8.9	
2001	108	7.5	6.0	8.9	21	10.8	6.7	16.5	1	23	7.3	4.6	11.0	23	7.8	5.0	13.7	38	6.2	4.4	8.5	
2002	113	7.6	6.2	9.1	25	12.3	7.9	18.1	0	30	8.7	5.9	12.4	23	9.6	6.1	14.4	35	6.5	4.5	9.0	
2003	112	7.7	6.2	9.1	20	9.6	5.9	14.9	0	23	8.0	5.1	12.0	25	9.1	5.9	13.5	43	6.7	4.9	9.0	
Homicide	1990	191	13.5	11.6	15.5	129	51.5	42.4	60.7	0	10	5.2	2.5	9.6	18	8.9	5.3	14.1	34	4.7	3.2	6.5
	1991	208	14.8	12.8	16.9	135	57.6	47.6	67.6	0	8	15.8	10.9	22.3	33	15.8	10.9	22.3	32	4.2	2.9	5.9
	1992	214	15.2	13.1	17.3	141	59.6	49.5	69.7	0	7	8.5	5.3	12.9	22	8.5	5.3	12.9	42	6.3	4.6	8.5
	1993	169	11.7	9.9	13.5	111	46.3	37.5	55.0	4	12	4.2	2.2	7.3	18	6.4	3.8	10.1	23	3.4	2.2	5.1
	1994	191	13.3	11.3	15.2	133	55.8	46.2	65.4	1	11	5.8	2.9	10.4	22	8.8	5.5	13.3	24	3.7	2.4	5.5
	1995	186	12.9	11.0	14.8	128	55.8	46.0	65.5	2	8	3.7	1.8	6.5	22	10.7	6.7	16.2	26	4.1	2.6	5.9
	1996	151	10.5	8.8	12.2	84	36.7	29.3	45.4	0	11	3.8	1.9	6.9	28	11.6	7.7	16.8	28	4.4	2.9	6.4
	1997	157	10.8	9.1	12.5	91	40.5	32.6	49.7	2	11	3.8	1.9	6.9	28	9.8	6.5	14.2	25	3.8	2.5	5.6
	1998	110	7.5	6.1	8.9	67	29.7	23.0	37.7	3	10	3.2	1.5	5.9	8	4.2	2.4	7.0	20	3.1	1.9	4.8
	1999	99	6.6	5.4	8.1	56	24.6	18.6	32.0	2	6	3.5	1.8	6.1	15	4.2	2.4	7.0	13	2.2	1.2	3.7
2000	118	7.7	6.3	9.2	75	34.4	27.0	43.1	1	12	3.4	1.8	5.9	12	4.7	2.5	8.0	9	1.9	1.1	3.0	
2001	103	6.4	5.2	7.7	76	35.7	28.1	44.7	0	4	3.4	1.8	5.9	16	4.7	2.7	7.7	19	3.0	1.8	4.8	
2002	147	9.3	7.8	10.9	94	44.4	35.9	54.4	2	13	2.8	1.4	5.0	28	8.1	5.4	11.7	10	1.8	0.9	3.3	
2003	136	8.8	7.3	10.3	84	39.4	31.4	48.8	0	11	5.7	2.7	10.4	12	8.4	4.3	14.6	96	13.5	10.9	16.4	
Suicide	1990	137	10.8	8.9	12.7	17	6.9	4.0	11.0	2	10	4.5	2.2	8.3	5	6.7	3.5	11.7	110	15.9	12.9	18.9
	1991	138	11.3	9.3	13.2	13	6.7	3.6	11.4	1	9	4.5	2.2	8.3	7	10.4	5.1	12.2	104	15.1	12.2	18.1
	1992	136	10.8	8.9	12.6	13	5.3	2.8	9.1	2	10	4.8	2.3	8.9	12	6.7	3.5	11.7	104	15.4	12.4	18.4
	1993	141	11.1	9.2	12.9	15	6.9	3.9	11.4	0	15	7.2	4.0	11.9	7	10.5	5.5	12.5	105	15.5	12.5	18.5
	1994	139	10.9	9.0	12.7	12	5.5	2.8	9.6	0	14	6.3	3.4	10.6	9	10.8	4.3	13.0	108	16.1	13.0	19.1
	1995	152	11.7	9.8	13.6	16	7.2	4.1	11.7	5	12	4.5	2.3	7.9	10	4.3	2.0	7.8	91	13.8	11.1	16.9
	1996	129	9.9	8.1	11.6	16	7.4	4.2	12.1	0	15	5.8	3.3	9.6	9	10.4	4.8	12.9	104	15.7	12.7	18.8
	1997	144	10.8	9.0	12.6	14	6.2	3.4	10.3	2	20	7.7	4.7	11.9	12	4.8	2.5	8.4	90	13.7	11.0	16.9
	1998	137	10.4	8.6	12.1	15	7.5	4.2	12.4	0	13	3.8	2.0	6.6	7	8.1	4.8	11.0	81	12.4	9.8	15.4
	1999	114	8.2	6.6	9.7	12	5.5	2.8	9.6	1	21	6.2	3.7	9.6	9	9.0	6.2	11.0	66	9.7	7.5	12.3
2000	107	7.5	6.1	9.0	10	4.7	2.3	8.7	0	14	4.1	2.2	6.8	9	7.2	4.1	9.6	72	11.1	8.7	13.9	
2001	106	7.5	6.0	8.9	10	5.1	2.5	9.4	0	14	4.0	2.2	6.7	13	5.2	2.7	8.8	93	14.9	12.0	18.3	
2002	134	9.2	7.6	10.8	14	6.8	3.7	11.4	0	14	4.0	2.2	6.7	14	5.7	3.1	9.6	76	11.4	9.0	14.3	
2003	116	7.9	6.4	9.4	11	5.2	2.6	9.3	1	14	3.2	1.6	5.7	14	5.7	3.1	9.6	76	11.4	9.0	14.3	

Table B. 13: Chronic Disease Hospitalizations by Gender and Race/Ethnicity, Alameda County, 2001-2003, Counts, Rates,\* and 95% Confidence Limits

	Both Sexes			Female			Male						
	Total	Rate	LCL	UCL	Total	Rate	LCL	UCL	Total	Rate	LCL	UCL	
CHD	All Races	49,960	1,304.7	1,293.2	1,316.2	22,539	1,017.1	1,003.7	1,030.5	27,421	1,674.0	1,653.8	1,694.2
	AfrAm	8,268	1,486.2	1,453.9	1,518.5	4,561	1,389.4	1,348.9	1,430.0	3,707	1,608.9	1,555.7	1,662.1
	AmerInd	52	164.5	122.9	215.7	26	156.8	102.4	229.7	26	164.0	107.1	240.2
	API	6,393	786.2	766.5	805.9	2,741	610.9	587.8	634.1	3,652	1,006.0	972.1	1,040.0
	Latino	3,881	1,076.0	1,040.7	1,111.2	1,798	899.6	857.2	942.0	2,080	1,302.1	1,241.3	1,362.9
	White	28,406	1,392.0	1,375.6	1,408.5	12,387	1,024.3	1,005.8	1,042.9	16,016	1,857.9	1,828.7	1,887.0
Stroke	All Races	19,000	495.5	488.4	502.6	10,421	464.9	455.9	473.9	8,579	534.7	523.1	546.2
	AfrAm	4,676	842.9	818.6	867.2	2,773	840.7	809.3	872.2	1,903	834.2	795.6	872.8
	AmerInd	20	68.6	41.9	105.9	12	70.2	36.3	122.7	8			
	API	2,712	342.7	329.5	355.9	1,407	314.6	298.0	331.3	1,305	378.7	357.3	400.1
	Latino	1,404	381.4	360.3	402.5	724	344.1	318.2	370.0	678	437.5	401.0	474.1
	White	9,566	464.1	454.6	473.5	5,209	423.1	411.2	435.0	4,357	516.1	500.6	531.6
Diabetes	All Races	45,054	1,129.2	1,118.7	1,139.7	24,514	1,110.8	1,096.8	1,124.8	20,540	1,154.2	1,138.0	1,170.4
	AfrAm	12,647	2,164.0	2,125.9	2,202.0	7,529	2,257.6	2,206.3	2,308.9	5,117	2,037.3	1,980.0	2,094.6
	AmerInd	74	207.4	162.8	260.3	51	257.5	191.7	338.5	23	138.4	87.8	207.7
	API	6,308	735.3	716.7	753.9	3,483	729.0	704.4	753.5	2,825	739.7	711.2	768.1
	Latino	5,459	1,271.6	1,235.5	1,307.7	3,060	1,301.2	1,253.0	1,349.5	2,397	1,229.6	1,174.9	1,284.3
	White	18,662	938.4	924.7	952.0	9,488	864.5	846.6	882.3	9,174	1,030.6	1,009.1	1,052.0
Asthma (All Ages)	All Races	6,870	161.4	157.5	165.2	3,712	168.4	163.0	173.8	3,158	150.8	145.4	156.1
	AfrAm	2,758	417.2	401.5	432.8	1,498	430.8	408.9	452.7	1,260	390.7	368.9	412.6
	AmerInd	11	26.5	13.2	47.3	9				2			
	API	772	79.0	73.3	84.8	388	75.7	68.1	83.4	383	80.5	72.0	89.0
	Latino	1,047	120.9	112.3	129.6	488	125.8	113.2	138.3	559	114.4	102.3	126.5
	White	1,825	112.3	107.0	117.7	1,123	123.5	115.9	131.2	702	98.3	90.8	105.7
Childhood Asthma (<5)	All Races	2,048	683.2	653.6	712.8	702	477.7	442.4	513.0	1,346	880.8	833.8	927.9
	AfrAm	729	1,573.2	1,459.0	1,687.4	265	1,154.6	1,015.5	1,293.6	464	1,984.1	1,803.6	2,164.7
	AmerInd	2				1				1			
	API	239	304.3	265.8	342.9	74	193.3	149.2	237.3	164	407.5	345.2	469.9
	Latino	500	565.4	515.8	614.9	165	380.9	322.7	439.0	335	742.5	663.0	822.0
	White	341	424.1	379.0	469.1	113	286.9	234.0	339.7	228	555.8	483.7	627.9

Rates are per 100,000 and are age-adjusted by the direct method to the 2000 U.S. population.

Table B.14: Injury Hospitalization by Gender and Race/Ethnicity, Alameda County, 2001-2003, Counts, 3-Year Average Rates, \* and 95% Confidence Limits

	Both Sexes			Female			Male						
	3-Yr Total	Rate	LCL	UCL	3-Yr Total	Rate	LCL	UCL	3-Yr Total	Rate	LCL	UCL	
Unintentional Injury	All Races	16,465	396.6	390.5	402.7	8,256	361.9	354.1	369.8	8,209	414.1	404.9	423.4
	AfrAm	2,618	423.2	406.8	439.5	1,257	366.5	346.2	386.9	1,361	477.0	450.9	503.0
	AmerInd	29	61.9	41.5	88.9	12	48.5	25.0	84.7	17	79.3	46.2	127.0
	API	1,522	171.0	162.0	180.0	793	169.5	157.4	181.5	729	166.7	153.5	179.8
	Latino	2,118	313.6	297.4	329.8	739	251.4	231.0	271.8	1,378	363.0	337.7	388.3
Motor Vehicle Accidents	White	9,076	477.6	467.4	487.7	5,040	446.5	433.4	459.6	4,036	485.6	470.3	500.9
	All Races	3,457	77.7	75.1	80.3	1,219	54.1	51.1	57.2	2,238	101.6	97.3	105.9
	AfrAm	662	100.0	92.4	107.7	259	73.1	64.2	82.1	403	131.9	118.9	144.9
	AmerInd	9				5				4			
	API	345	32.4	28.9	35.9	148	27.6	23.1	32.1	197	36.9	31.5	42.3
Assault	Latino	569	66.5	60.2	72.7	182	47.6	40.0	55.2	387	84.3	74.2	94.4
	White	1,473	85.6	81.1	90.1	500	56.5	51.3	61.7	973	114.6	107.3	122.0
	All Races	1,716	37.0	35.3	38.8	218	9.5	8.2	10.8	1,498	64.5	61.2	67.8
	AfrAm	779	116.6	108.4	124.8	112	31.3	25.5	37.1	667	218.3	201.7	234.9
	AmerInd	3				0				3			
Self-Inflicted Injury	API	96	8.4	6.8	10.3	18	3.4	2.0	5.3	78	13.7	10.8	17.1
	Latino	359	34.7	30.9	38.6	29	6.5	4.3	9.3	330	59.4	52.5	66.2
	White	345	20.7	18.4	22.9	44	4.6	3.4	6.2	301	36.3	32.1	40.5
	All Races	1,225	26.8	25.3	28.3	769	33.5	31.1	35.8	456	20.5	18.6	22.4
	AfrAm	191	28.9	24.8	33.0	121	34.1	28.0	40.1	70	24.0	18.7	30.3
Self-Inflicted Injury	AmerInd	3				2				1			
	API	130	10.8	8.9	12.7	79	12.6	10.0	15.7	51	9.0	6.7	11.8
	Latino	141	15.4	12.5	18.3	96	19.8	16.1	24.2	45	12.7	9.2	17.0
	White	692	40.4	37.3	43.5	428	50.8	45.8	55.8	264	30.5	26.7	34.3

\*Rates are per 100,000 and are age-adjusted by the direct method to the 2000 U.S. population

Table B.15: Cancer Incidence by Gender and Race/Ethnicity, Alameda County, 2000-2002, Total Counts, 3-Year Average Rates\*, and 95% Confidence Limits

	Both Sexes			Female			Male					
	3-Yr Total	Rate	LCL	UCL	3-Yr Total	Rate	LCL	UCL	3-Yr Total	Rate	LCL	UCL
All Cancer	18,445	478.2	471.3	485.2	9,467	436.4	427.5	445.2	8,964	543.0	531.5	554.5
AfrAm	2,748	504.1	485.1	523.0	1,389	436.3	413.2	459.3	1,356	600.7	568.1	633.3
API	2,572	308.1	295.8	320.3	1,373	288.6	273.0	304.1	1,197	341.6	321.4	361.9
Latino	1,743	428.0	406.3	449.6	927	393.8	367.1	420.4	816	490.8	453.1	528.5
White	10,733	547.7	537.3	558.2	5,492	507.0	493.3	520.7	5,234	610.6	593.8	627.4
All Races	2,221	60.0	57.5	62.5	1,020	48.5	45.6	51.5	1,200	75.8	71.4	80.1
AfrAm	457	85.4	77.6	93.3	209	67.9	58.7	77.2	248	110.3	96.3	124.2
API	285	37.3	32.9	41.7	104	24.2	19.5	28.9	180	54.4	46.1	62.7
Latino	151	43.6	36.3	50.8	63	30.0	22.4	37.6	88	65.0	50.4	79.6
White	1,271	65.6	61.9	69.2	618	56.3	51.7	60.8	653	78.0	71.9	84.0
All Races	1,910	50.6	48.3	52.9	917	42.2	39.4	44.9	992	61.4	57.5	65.2
AfrAm	274	51.3	45.2	57.4	148	47.1	39.4	54.7	126	58.2	47.8	68.6
API	353	45.4	40.5	50.3	169	38.7	32.8	44.7	184	53.9	45.7	62.0
Latino	180	51.0	43.1	58.9	77	39.1	30.1	48.1	103	67.3	52.9	81.7
White	1,044	51.9	48.7	55.1	499	42.3	38.5	46.1	545	63.4	58.0	68.7
All Races					3,502	161.3	155.9	166.6				
AfrAm					471	146.6	133.3	159.9				
API					521	105.1	96.0	114.3				
Latino					329	133.7	118.6	148.7				
White					2,076	194.2	185.8	202.7				
All Races									2,704	167.3	160.9	173.7
AfrAm									498	220.3	200.7	240.0
API									312	92.9	82.3	103.4
Latino									221	146.9	126.4	167.4
White									1,525	178.2	169.2	187.3

\*Rates are per 100,000 and are age-adjusted by the direct method to the 2000 U.S. Population.

Table B.16: Historical Chronic Disease Hospitalization by Race/Ethnicity, Alameda County, 1991-2003, Annual Counts, Rates, and 95% Confidence Limits

	All Races			African American			American Indian			API			Latino			White								
	Total	Rate	UCL	Count	Rate	LCL	UCL	Total	Rate	LCL	UCL	Total	Rate	LCL	UCL	Total	Rate	LCL	UCL					
Coronary Heart Disease	1991 16,011	1,560.6	1,536.3	1,585.0	2,722	1,729.2	1,662.9	1,795.5	19	422.5	254.4	659.8	976	863.1	805.1	921.1	931	1,075.8	1,003.4	1,148.2	11,144	1,681.9	1,650.6	1,713.2
	1992 15,609	1,495.7	1,472.1	1,519.3	2,577	1,621.3	1,557.7	1,684.9	22	504.4	316.1	763.7	1,034	842.6	788.0	897.2	908	1,006.0	937.8	1,074.2	10,833	1,629.0	1,598.2	1,659.8
	1993 16,355	1,549.5	1,525.6	1,573.4	2,645	1,643.3	1,579.9	1,706.8	24	414.4	265.5	616.6	1,140	876.7	822.4	930.9	982	1,082.1	1,011.5	1,152.6	11,331	1,703.4	1,672.0	1,734.9
	1994 16,847	1,588.9	1,564.8	1,613.0	2,967	1,845.9	1,778.7	1,913.1	25	340.8	220.5	503.0	1,318	970.6	914.8	1,026.5	1,013	1,106.0	1,035.1	1,177.0	11,243	1,699.5	1,668.0	1,731.0
	1995 16,699	1,561.6	1,537.8	1,585.3	3,090	1,910.5	1,842.5	1,978.5	32	469.7	321.3	663.1	1,385	958.6	905.2	1,012.0	1,023	1,079.8	1,010.9	1,148.7	10,607	1,616.9	1,586.1	1,647.7
	1996 17,727	1,646.5	1,622.1	1,670.8	3,170	1,953.0	1,884.4	2,021.5	27	359.0	236.6	522.4	1,621	1,069.2	1,014.0	1,124.3	1,076	1,152.8	1,081.0	1,224.6	11,239	1,719.5	1,687.6	1,751.3
	1997 17,955	1,628.9	1,605.0	1,652.8	3,324	2,009.0	1,940.2	2,077.8	16	159.6	91.2	259.2	1,824	1,108.5	1,055.0	1,162.1	1,121	1,172.2	1,100.6	1,243.8	11,074	1,674.9	1,643.6	1,706.1
	1998 18,533	1,643.3	1,619.6	1,667.1	3,343	1,976.0	1,908.4	2,043.5	30	261.0	176.1	372.6	1,916	1,060.9	1,011.1	1,110.6	1,277	1,279.4	1,206.1	1,352.7	11,281	1,698.1	1,666.7	1,729.5
	1999 18,846	1,608.0	1,585.0	1,631.1	3,362	1,940.8	1,874.7	2,006.8	24	238.8	153.0	355.3	2,021	1,015.0	969.1	1,060.8	1,698	1,649.4	1,567.8	1,731.0	11,154	1,641.9	1,611.3	1,672.5
	2000 17,970	1,454.3	1,433.0	1,475.7	3,193	1,751.4	1,690.2	1,812.5	20	265.5	162.2	410.0	1,997	867.5	828.5	906.5	1,334	1,183.7	1,117.8	1,249.6	10,815	1,554.2	1,524.7	1,583.7
	2001 16,896	1,358.2	1,337.6	1,378.8	2,857	1,567.4	1,509.6	1,625.2	20	216.7	132.4	334.6	2,062	801.5	765.9	837.0	1,257	1,104.7	1,041.1	1,168.3	9,845	1,472.1	1,442.6	1,501.5
	2002 16,964	1,329.8	1,309.6	1,349.9	2,857	1,535.9	1,479.2	1,592.6	14	124.2	67.9	208.4	2,162	797.7	763.4	832.1	1,328	1,117.5	1,055.0	1,180.0	9,568	1,407.1	1,378.5	1,435.7
	2003 16,106	1,231.3	1,212.1	1,250.4	2,554	1,354.2	1,301.2	1,407.2	18	160.5	95.1	253.7	2,169	776.3	743.1	809.6	1,296	1,005.1	948.1	1,062.1	8,993	1,292.2	1,265.2	1,319.3
Stroke	1991 6,475	642.5	626.7	658.4	1,432	924.9	875.9	974.0	<5				520	505.5	458.2	552.7	365	431.1	384.1	478.1	4,057	613.1	594.2	632.0
	1992 6,212	606.3	591.1	621.5	1,383	890.5	842.7	938.3	10	240.7	115.4	442.7	512	439.8	398.6	481.1	274	320.1	280.2	360.1	3,935	591.0	572.5	609.5
	1993 6,226	599.1	584.1	614.1	1,433	906.8	859.1	954.5	5				563	451.9	411.9	491.9	367	407.1	363.3	450.9	3,772	566.9	548.7	585.0
	1994 6,184	590.6	575.8	605.4	1,358	856.0	809.8	902.2	6				606	488.9	447.5	530.4	358	389.5	346.9	432.2	3,771	566.6	548.5	584.7
	1995 6,267	591.2	576.5	605.9	1,410	875.8	829.5	922.0	11	173.8	86.8	311.1	693	487.2	448.4	526.0	356	380.2	338.2	422.2	3,646	553.5	535.5	571.6
	1996 6,616	619.7	604.7	634.7	1,551	968.8	920.1	1,017.5	6				734	489.2	451.7	526.7	378	397.3	354.9	439.8	3,768	573.0	554.7	591.3
	1997 6,589	602.1	587.5	616.7	1,464	888.3	842.4	934.3	8				778	495.4	458.7	532.1	370	386.2	344.7	427.7	3,778	567.3	549.2	585.4
	1998 7,136	639.4	624.5	654.3	1,642	989.3	940.9	1,037.6	12	138.0	71.3	241.0	871	507.2	471.5	542.8	428	441.3	397.1	485.4	3,954	593.1	574.5	611.6
	1999 7,039	602.2	588.1	616.3	1,665	967.1	920.2	1,013.9	10	82.2	39.4	151.2	868	446.2	415.3	477.2	496	466.9	423.5	510.3	3,780	549.9	532.3	567.5
	2000 6,998	567.9	554.5	581.3	1,621	889.0	845.4	932.5	19	258.0	155.3	402.9	826	374.1	347.7	400.4	481	431.8	391.6	472.0	3,845	548.1	530.6	565.6
	2001 6,370	510.3	497.7	522.9	1,548	848.4	805.8	890.9	8				870	352.2	328.1	376.4	437	391.8	352.9	430.8	3,313	487.8	470.9	504.6
	2002 6,457	505.9	493.4	518.3	1,605	868.4	825.6	911.2	8				888	335.5	312.9	358.0	470	383.8	347.3	420.3	3,276	475.1	458.6	491.6
	2003 6,175	472.3	460.4	484.1	1,523	810.2	769.2	851.3	<5				954	348.3	325.8	370.9	497	368.8	334.5	403.2	2,977	427.3	411.8	442.9
Diabetes	1991 12,055	1,116.3	1,096.1	1,136.4	3,812	2,249.9	2,176.8	2,323.1	13	236.4	125.9	404.2	842	702.5	651.8	753.3	1,038	1,082.5	1,012.7	1,152.3	6,173	918.7	895.6	941.7
	1992 11,599	1,060.4	1,040.9	1,079.9	3,596	2,121.0	2,050.2	2,191.8	29	510.3	341.7	732.9	914	710.1	661.3	759.0	1,007	1,010.7	945.0	1,076.5	5,879	874.9	852.5	897.4
	1993 11,996	1,083.8	1,064.2	1,103.3	3,618	2,114.9	2,044.8	2,185.1	27	423.1	278.8	615.6	1,036	760.9	711.4	810.3	1,181	1,160.1	1,090.5	1,229.8	5,955	893.0	870.2	915.7
	1994 12,054	1,086.2	1,066.7	1,105.8	3,577	2,103.7	2,033.7	2,173.6	33	428.8	295.2	602.2	998	697.0	650.8	743.1	1,237	1,164.7	1,096.3	1,233.0	6,045	915.5	892.3	938.7
	1995 12,404	1,110.9	1,091.2	1,130.6	3,861	2,259.4	2,187.3	2,331.6	51	628.3	467.8	826.1	1,071	714.4	669.1	759.8	1,202	1,106.2	1,040.1	1,172.3	5,845	893.7	870.7	916.6
	1996 13,082	1,163.4	1,143.4	1,183.5	3,871	2,260.1	2,188.1	2,332.1	38	379.7	268.7	521.2	1,206	735.1	691.2	779.1	1,352	1,240.2	1,169.8	1,310.5	6,160	946.4	922.7	970.1
	1997 13,572	1,177.4	1,157.4	1,197.3	4,303	2,451.7	2,377.6	2,525.9	24	205.7	131.8	306.1	1,344	759.8	717.1	802.5	1,294	1,165.6	1,097.9	1,233.2	6,142	937.2	913.7	960.7
	1998 14,403	1,223.6	1,203.5	1,243.7	4,340	2,439.1	2,365.7	2,512.5	29	259.9	174.0	373.2	1,576	812.3	770.2	854.4	1,579	1,392.7	1,319.5	1,465.8	6,351	965.4	941.6	989.3
	1999 15,314	1,255.2	1,235.1	1,275.2	4,510	2,475.3	2,402.3	2,548.3	30	220.4	148.7	314.7	1,757	832.1	791.6	872.6	1,961	1,576.1	1,501.8	1,650.4	6,588	986.6	962.7	1,010.6
	2000 15,492	1,212.8	1,193.6	1,232.0	4,455	2,331.3	2,262.3	2,400.3	31	346.8	235.6	492.3	1,838	755.8	720.3	791.3	1,862	1,414.8	1,346.7	1,483.0	6,856	1,007.5	983.4	1,031.5
	2001 14,400	1,111.0	1,092.7	1,129.3	4,164	2,169.6	2,103.1	2,236.0	22	189.6	118.8	287.1	1,900	704.7	672.0	737.3	1,683	1,225.5	1,162.7	1,288.2	6,064	931.7	907.9	955.4
	2002 15,347	1,156.0	1,137.5	1,174.4	4,239	2,177.8	2,111.7	2,244.0	32	261.1	178.6	368.6	2,132	744.5	712.1	776.9	1,833	1,289.6	1,226.3	1,352.8	6,475	974.1	950.0	998.2
	2003 15,310	1,120.8	1,102.9	1,138.8	4,244	2,134.7	2,069.8	2,199.6	20	177.8	108.6	274.6	2,276	770.3	738.0	802.6	1,943	1,291.2	1,230.0	1,352.5	6,123	901.4	878.5	924.3





Table B.19: Historical Cancer Incidence by Race/Ethnicity, Alameda County, 1990-2002, Annual Counts, Rates, and 95% Confidence Limits

	All			Female			Male			AfrAm			Asian			Latino			White									
	Total	Rate	UCL	LCL	Total	Rate	UCL	LCL	Total	Rate	UCL	LCL	Total	Rate	UCL	LCL	Total	Rate	UCL	LCL	Total	Rate	UCL	LCL				
1990	5,880	545.2	531.0	559.3	3,255	535.5	516.9	554.1	2,624	590.0	566.3	613.7	946	572.9	535.2	610.5	464	373.3	336.4	410.3	479	463.3	417.7	508.8	3,916	576.4	558.2	594.6
1991	6,195	566.7	552.4	581.0	3,286	532.2	513.9	550.6	2,909	645.7	621.3	670.1	1,022	607.1	568.9	645.4	510	393.0	355.6	430.3	541	524.9	477.0	572.8	4,026	595.6	577.1	614.1
1992	6,365	577.2	562.8	591.5	3,345	535.4	517.1	553.7	3,016	664.2	639.6	688.7	1,069	633.6	594.8	672.4	538	391.1	355.3	427.0	472	449.4	405.4	493.4	4,084	604.9	586.3	623.6
1993	6,052	543.5	529.6	557.3	3,163	502.3	484.6	519.9	2,888	621.9	598.5	645.2	1,014	600.2	562.6	637.8	569	392.0	357.2	426.9	501	461.0	417.3	504.6	3,779	563.2	545.2	581.2
1994	6,244	556.4	542.5	570.4	3,355	528.8	510.8	546.8	2,889	618.7	595.5	641.9	1,067	625.8	587.6	664.0	595	374.9	342.5	407.3	515	469.6	425.4	513.7	3,822	575.6	557.3	594.0
1995	6,343	561.6	547.6	575.5	3,525	550.4	532.1	568.7	2,817	601.6	578.8	624.4	1,005	593.9	556.6	631.1	603	360.1	329.2	390.9	559	482.6	438.7	526.4	3,803	579.5	561.0	598.0
1996	5,725	509.4	496.1	522.7	3,000	474.3	457.2	491.3	2,724	574.7	552.6	596.8	929	556.4	520.3	592.6	608	343.7	314.7	372.8	503	452.2	410.2	494.3	3,508	537.5	519.7	555.3
1997	5,792	504.0	490.9	517.0	3,119	479.9	463.0	496.7	2,668	552.9	531.4	574.4	942	553.4	517.7	589.1	640	340.0	311.9	368.0	468	421.1	380.1	462.1	3,621	551.2	533.1	569.2
1998	5,937	504.3	491.4	517.3	3,156	473.5	456.9	490.1	2,777	561.1	539.7	582.5	875	505.0	471.2	538.8	712	339.2	312.9	365.5	484	425.8	385.0	466.6	3,646	552.0	534.1	570.0
1999	6,256	513.7	500.9	526.5	3,346	486.7	470.2	503.3	2,907	564.5	543.5	585.5	978	550.7	515.9	585.5	760	341.9	316.5	367.3	529	432.3	392.7	471.9	3,724	555.1	537.2	573.1
2000	6,261	491.3	479.1	503.6	3,178	444.0	428.5	459.5	3,078	562.4	542.1	582.6	942	516.1	482.9	549.3	824	331.3	308.0	354.6	561	420.7	383.5	457.9	3,648	535.9	518.3	553.4
2001	5,932	461.5	449.6	473.3	2,992	413.3	398.4	428.2	2,934	534.3	514.6	554.0	881	483.4	451.2	515.5	817	296.1	275.1	317.0	540	404.6	368.0	441.2	3,475	532.9	515.0	550.8
2002	6,252	473.0	461.2	484.9	3,297	445.7	430.4	461.0	2,952	519.6	500.4	538.7	925	500.4	467.9	532.9	931	319.4	298.5	340.4	642	442.3	405.4	479.2	3,610	541.3	523.4	559.2
1990	824	78.4	73.0	83.8	365	61.9	55.5	68.3	459	101.3	91.8	110.8	171	101.9	86.4	117.5	48	44.6	32.9	59.1	42	44.1	31.8	59.6	561	83.5	76.6	90.5
1991	743	70.7	65.6	75.9	330	55.2	49.3	61.2	413	94.3	84.8	103.7	151	92.0	77.1	106.9	51	45.2	33.6	59.4	59	66.8	50.9	86.2	482	72.4	65.9	78.9
1992	826	77.4	72.1	82.7	400	66.3	59.8	72.9	425	92.8	83.8	101.8	184	112.3	95.8	128.7	63	52.5	40.4	67.2	52	55.3	41.3	72.5	521	78.3	71.6	85.1
1993	792	74.0	68.8	79.2	340	56.0	50.1	62.0	452	98.9	89.6	108.2	162	98.9	83.5	114.3	75	57.2	45.0	71.7	45	47.2	34.4	63.1	504	76.1	69.4	82.7
1994	738	68.6	63.6	73.5	332	54.5	48.6	60.4	406	88.8	80.0	97.7	158	95.0	80.1	109.9	63	44.9	34.5	57.4	51	54.2	40.4	71.3	464	70.4	64.0	76.8
1995	840	78.4	73.1	83.7	380	62.2	55.9	68.4	459	100.9	91.6	110.3	171	104.3	88.6	120.1	66	44.6	34.5	56.8	62	65.6	50.3	84.1	540	83.4	76.4	90.5
1996	740	68.2	63.3	73.1	340	55.0	49.2	60.9	400	88.2	79.4	97.0	145	89.7	75.0	104.4	70	40.9	31.9	51.7	58	59.1	44.9	76.4	464	71.7	65.2	78.3
1997	724	65.2	60.4	70.0	362	57.0	51.1	62.9	362	77.3	69.2	85.4	135	80.1	66.5	93.7	71	43.4	33.9	54.8	54	55.7	41.8	72.7	463	71.2	64.7	77.7
1998	741	65.2	60.5	69.9	351	54.4	48.7	60.1	390	80.8	72.6	89.0	170	100.5	85.3	115.8	65	34.4	26.6	43.9	50	51.1	37.9	67.3	452	69.4	63.0	75.8
1999	768	65.5	60.8	70.1	385	57.5	51.7	63.3	383	77.8	69.9	85.8	136	78.5	65.2	91.8	77	38.0	30.0	47.5	49	45.6	33.7	60.3	501	75.2	68.6	81.8
2000	807	65.6	61.0	70.1	354	50.6	45.3	55.9	452	85.4	77.4	93.4	158	87.0	73.3	100.6	101	44.9	35.9	53.9	48	43.5	32.1	57.7	477	70.3	63.9	76.6
2001	674	54.8	50.6	59.0	305	43.8	38.9	48.8	369	70.7	63.4	78.1	123	69.0	56.7	81.3	82	32.7	26.0	40.6	51	42.5	31.7	55.9	393	61.2	55.1	67.4
2002	740	58.5	54.3	62.8	361	50.2	45.0	55.5	379	69.6	62.5	76.8	176	98.4	83.8	113.1	102	37.3	30.0	44.6	52	42.5	31.7	55.7	401	61.2	55.1	67.3
1990	674	66.3	61.2	71.3	356	60.0	53.8	66.3	318	75.5	66.8	84.2	112	73.0	59.2	86.8	64	52.3	40.3	66.8	48	61.0	45.0	80.8	447	67.1	60.8	73.3
1991	670	65.4	60.4	70.4	316	53.1	47.2	58.9	354	81.5	72.7	90.2	119	76.9	62.8	91.0	60	55.2	42.1	71.0	54	62.3	46.8	81.2	435	65.8	59.6	72.0
1992	658	63.1	58.2	67.9	311	51.2	45.5	56.9	347	79.8	71.1	88.4	119	74.8	61.2	88.5	57	41.8	31.7	54.2	52	59.5	44.5	78.1	424	63.4	57.4	69.5
1993	644	61.3	56.5	66.1	335	54.6	48.8	60.5	309	69.8	61.8	77.8	113	71.1	57.8	84.4	69	56.6	44.1	71.7	42	47.0	33.9	63.6	412	61.8	55.8	67.8
1994	610	57.5	52.9	62.1	310	50.2	44.6	55.8	300	67.2	59.4	75.0	118	73.9	60.3	87.4	67	37.9	28.7	49.1	50	55.4	41.1	73.0	377	57.1	51.4	62.9
1995	558	52.4	48.0	56.7	268	43.3	38.1	48.5	290	64.9	57.2	72.5	99	62.7	50.9	76.3	60	39.5	30.1	50.8	42	41.6	30.0	56.3	349	53.4	47.8	59.1
1996	606	56.3	51.8	60.8	294	47.3	41.9	52.7	311	67.5	59.8	75.1	110	69.6	56.5	82.6	78	48.1	38.0	60.0	48	47.7	35.2	63.3	363	56.0	50.2	61.8
1997	621	56.0	51.6	60.5	303	47.1	41.8	52.4	318	68.5	60.8	76.2	105	64.4	52.0	76.8	61	36.5	27.9	46.8	58	58.4	44.4	75.5	388	58.7	52.8	64.5
1998	669	59.1	54.6	63.6	335	50.8	45.4	56.3	333	71.1	63.3	78.9	85	51.5	41.2	63.7	82	40.4	32.1	50.1	59	59.4	45.2	76.7	435	65.3	59.2	71.5
1999	695	58.6	54.2	63.0	357	51.9	46.5	57.3	338	68.8	61.3	76.3	123	71.9	59.1	84.7	101	48.9	38.9	58.8	64	58.7	45.2	74.9	382	56.3	50.6	61.9
2000	639	51.1	47.1	55.0	313	43.6	38.8	48.5	325	59.8	53.2	66.4	93	52.5	42.4	64.4	105	44.5	35.7	53.3	53	45.2	33.8	59.1	361	52.1	46.7	57.5
2001	619	49.5	45.5	53.4	300	41.3	36.6	46.0	319	59.8	53.1	66.5	91	51.0	41.1	62.7	118	47.4	38.6	56.2	60	52.8	40.3	68.0	327	48.5	43.1	53.8
2002	652	50.3	46.5	54.2	304	41.0	36.4	45.7	348	63.0	56.2	69.7	90	49.1	39.5	60.4	130	46.8	38.5	55.0	67	52.1	40.4	66.2	356	52.3	46.8	57.8

All Cancer Sites

Lung Cancer

Colorectal Cancer

Table B.20: Historical Cancer Incidence by Race/Ethnicity, Alameda County, 1990-2002, Annual Counts, Rates, and 95% Confidence Limits

	Female			Male			AfrAm			Asian			Latino			White				
	Total	Rate	UCL	LCL	Total	Rate	UCL	LCL	Total	Rate	UCL	LCL	Total	Rate	UCL	LCL	Total	Rate	UCL	
1990	925	158.2	147.9	168.5	126	135.3	111.3	159.3	78	101.8	80.5	127.1	73	133.9	105.0	168.4	645	177.3	163.5	191.2
1991	926	155.8	145.7	165.9	135	142.0	117.6	166.3	90	113.5	91.2	139.5	84	154.5	123.3	191.3	607	167.3	153.8	180.8
1992	936	155.5	145.4	165.5	128	132.7	109.4	156.0	84	106.5	84.9	131.9	56	102.7	77.6	133.4	652	178.6	164.8	192.5
1993	875	142.9	133.4	152.4	131	134.1	110.9	157.3	72	83.6	65.4	105.3	77	129.7	102.4	162.1	590	161.9	148.8	175.1
1994	976	158.8	148.8	168.8	153	156.0	131.1	180.9	104	109.4	87.6	131.3	68	115.2	89.4	146.0	637	177.2	163.4	191.1
1995	993	159.9	149.9	169.9	121	124.5	102.2	146.8	99	99.4	80.8	121.1	89	139.9	112.4	172.2	673	187.9	173.6	202.2
1996	1,019	161.7	151.7	171.7	128	130.1	107.5	152.8	116	107.0	87.0	127.0	84	128.0	102.1	158.4	668	188.1	173.7	202.4
1997	1,110	170.9	160.8	181.0	166	164.9	139.7	190.1	133	112.0	92.5	131.5	68	103.3	80.2	131.0	729	203.0	188.1	217.8
1998	1,109	165.8	156.0	175.6	138	131.0	109.0	152.9	134	102.9	85.1	120.7	76	110.6	87.1	138.4	709	196.7	182.2	211.3
1999	1,217	177.2	167.3	187.2	160	150.9	127.4	174.3	165	122.9	103.7	142.1	100	142.5	113.6	171.5	727	199.2	184.6	213.8
2000	1,167	163.1	153.7	172.5	161	149.1	126.0	172.3	162	109.8	92.7	126.9	104	132.9	106.6	159.2	689	185.4	171.5	199.4
2001	1,107	152.8	143.7	161.8	145	134.4	112.4	156.4	175	107.0	90.9	123.1	93	112.5	90.8	137.9	655	185.5	171.1	199.8
2002	1,228	165.4	156.1	174.7	165	152.1	128.8	175.5	184	107.1	91.5	122.7	132	153.3	126.2	180.4	732	200.0	185.3	214.7
1990	589	146.3	134.0	158.7	129	221.4	180.7	262.2	42	105.4	76.0	142.5	27	89.1	58.7	129.7	384	143.4	128.6	158.2
1991	817	195.8	181.9	209.6	170	275.5	232.2	318.8	37	87.5	61.6	120.6	48	139.3	102.7	184.7	554	203.6	186.3	221.0
1992	873	206.4	192.4	220.5	160	250.1	210.0	290.3	50	99.4	73.8	131.0	53	141.4	105.9	184.9	591	218.5	200.6	236.4
1993	886	199.9	186.5	213.4	183	281.3	239.5	323.1	60	106.3	81.1	136.8	61	156.3	119.5	200.8	547	195.3	178.7	211.8
1994	846	190.7	177.6	203.8	183	282.5	240.5	324.5	73	122.5	96.1	154.1	55	149.1	112.4	194.1	497	180.3	164.3	196.3
1995	736	164.3	152.2	176.4	162	250.9	211.4	290.3	62	93.9	72.0	120.3	56	143.1	108.1	185.8	427	155.4	140.5	170.2
1996	731	161.4	149.5	173.4	173	266.2	225.7	306.8	53	82.7	61.9	108.2	66	172.9	133.7	220.0	400	146.3	131.8	160.8
1997	714	155.0	143.4	166.5	150	229.4	191.9	267.0	69	93.4	72.6	118.1	56	140.7	106.3	182.7	398	144.5	130.2	158.9
1998	775	161.9	150.4	173.5	124	184.5	151.2	217.7	65	84.3	65.1	107.4	60	133.2	101.7	171.5	458	164.6	149.4	179.8
1999	857	172.6	160.9	184.4	173	247.6	210.0	285.3	75	88.0	69.2	110.3	54	122.5	92.0	159.8	482	168.2	153.1	183.4
2000	900	168.8	157.6	180.0	177	238.7	202.9	274.4	96	96.3	78.0	117.6	72	147.4	115.4	185.7	477	161.0	146.5	175.6
2001	888	164.9	153.9	175.9	164	214.4	181.1	247.7	99	88.3	71.8	107.5	65	131.6	101.5	167.7	522	182.7	166.8	198.6
2002	916	163.0	152.3	173.7	157	203.7	171.2	236.2	117	99.9	81.4	118.5	84	153.0	122.0	189.4	526	178.1	162.6	193.6

Table B.21: Tuberculosis Cases, Alameda County, 2002-2004, Total Counts, 3-Year Average Rates, and 95% Confidence Limits

	Total	%	Rate	LCL	UCL
Total	518	100.0	12.4	11.3	13.5
Sex					
Female	229	44.2	10.8	9.4	12.2
Male	289	55.8	14.1	12.5	15.7
Race/Ethnicity					
AfrAm	75	14.5	12.8	10.1	16.0
API	317	61.2	32.2	28.7	35.8
Latino	91	17.6	10.3	8.3	12.6
White	29	5.6	1.9	1.3	2.7
Other	6	1.2	3.6		
Age Group					
0-4	17	3.3	5.8	3.4	9.2
5-14	20	3.9	3.5	2.1	5.4
15-24	52	10.0	10.3	7.7	13.5
25-44	155	29.9	11.1	9.4	12.8
45-64	153	29.5	15.6	13.2	18.1
65 & up	121	23.4	28.8	23.7	34.0
County of Origin					
Foreign-born	399	77.0	34.5	31.1	37.9
U.S.-born	117	22.6	3.9	3.2	4.6
Unknown	2	0.4			

Table B.22: AIDS Cases, Alameda County, 2002-2004, Total Counts, 3-Year Average Rates, and 95% Confidence Limits

	Total	%	Rate	LCL	UCL
Total	583	100.0	13.0	11.9	14.0
Sex					
Female	140	24.0	6.1	5.1	7.1
Male	443	76.0	20.1	18.2	21.9
Race/Ethnicity					
AfrAm	306	52.5	49.0	43.5	54.5
API	21	3.6	1.9	1.2	3.0
Hispanic	111	19.0	11.9	9.7	14.1
AmerInd	2	0.3			
White	142	24.4	8.4	7.0	9.7
Unknown	1	0.2			
Age Group					
0-12	2	0.3			
13-19	2	0.3			
20-29	57	9.8	8.6	6.5	11.2
30-39	195	33.4	24.9	21.4	28.4
40-49	204	35.0	28.6	24.6	32.5
50 & up	123	21.1	10.7	8.8	12.5
Sex by Age					
Females					
0-12	1	0.7			
13-19	1	0.7			
20-29	14	10.0	4.3	2.4	7.2
30-39	43	30.7	10.9	7.9	14.6
40-49	49	35.0	13.6	10.1	18.0
50 & up	32	22.9	5.1	3.5	7.2
Males					
0-12	1	0.2			
13-19	1	0.2			
20-29	43	9.7	12.8	9.3	17.3
30-39	152	34.3	39.2	32.9	45.4
40-49	155	35.0	43.8	36.9	50.7
50 & up	91	20.5	17.4	14.0	21.3
Exposure Mode					
Men who have sex with men (MSM)	261	44.8			
Injection drug use (IDU)	95	16.3			
MSM & IDU	17	2.9			
Heterosexual contact	176	30.2			
Other	34	5.8			

Table B.23: Gonorrhea Cases, Alameda County, 2002-2004, Total Counts, 3-Year Average Rates, and 95% Confidence Limits

	Total	%	Rate	LCL	UCL
Total	4,880	100.0	116.9	113.7	120.2
Sex					
Female	2,472	50.7	115.9	111.3	120.5
Male	2,382	48.8	116.0	111.3	120.6
Unknown	26	0.5			
Race/Ethnicity					
AfrAm	2,134	43.7			
API	111	2.3			
Latino	264	5.4			
Other	201	4.1			
White	327	6.7			
Unknown	1,843	37.8			
Sex by Age					
Females					
<10	5	0.2			
10-14	70	2.8	49.3	38.5	62.3
15-19	920	37.2	729.3	682.2	776.4
20-24	705	28.5	567.5	525.6	609.4
25-29	356	14.4	219.2	196.4	241.9
30-34	181	7.3	95.6	81.7	109.6
35-44	172	7.0	47.6	40.5	54.7
45 & up	59	2.4	7.9	6.0	10.2
Unknown	4	0.2			
Males					
<10	1	0.0			
10-14	14	0.6	9.4	5.1	15.8
15-19	339	14.2	255.4	228.2	282.6
20-24	586	24.6	442.2	406.4	478.0
25-29	405	17.0	252.4	227.8	277.0
30-34	339	14.2	185.8	166.0	205.5
35-44	464	19.5	129.4	117.6	141.2
45 & up	227	9.5	35.2	30.6	39.8
Unknown	7	0.3			

Table B.24: Chlamydia Cases, Alameda County, 2002-2004, Total Counts, 3-Year Average Rates, and 95% Confidence Limits

	Total	%	Rate	LCL	UCL
Total	13,626	100.0	324.5	320.0	330.9
Sex					
Female	10,504	77.1	492.1	482.7	501.5
Male	3,082	22.6	150.1	144.8	155.4
Unknown	40	0.3			
Race/Ethnicity					
AfrAm	3,947	29.0			
API	765	5.6			
Latino	1,844	13.5			
Other	546	4.0			
White	5,636	41.4			
Unknown	888	6.5			
Sex by Age					
Females					
<10	5	0.0			
10-14	262	2.5	184.6	162.3	207.0
15-19	3,847	36.6	3,049.5	2,953.1	3,145.9
20-24	3,417	32.5	2,750.6	2,658.4	2,842.8
25-29	1,552	14.8	955.5	908.0	1,003.0
30-34	725	6.9	383.1	355.2	411.0
35-44	510	4.9	141.2	128.9	153.4
45+	158	1.5	21.2	17.9	24.5
Unknown	28	0.3			
Males					
<10	6	0.2			
10-14	19	0.6	12.8	7.7	20.0
15-19	667	21.6	502.5	464.3	540.6
20-24	906	29.4	683.7	639.1	728.2
25-29	588	19.1	366.4	336.8	396.0
30-34	378	12.3	207.1	186.2	228.0
35-44	364	11.8	101.5	91.1	112.0
45+	147	4.8	22.8	19.1	26.5
Unknown	7	0.2			

Table B.25: Historical Communicable Disease, Alameda County, 1980-2004, Annual Counts, Rates, and 95% Confidence Limits

	Total	Rate	LCL	UCL	
Tuberculosis	1990	296	25.2	22.3	28.1
	1991	267	22.2	19.6	24.9
	1992	223	18.6	16.1	21.0
	1993	158	13.0	11.0	15.0
	1994	200	16.3	14.0	18.6
	1995	238	19.3	16.9	21.8
	1996	234	18.9	16.4	21.3
	1997	192	15.2	13.1	17.4
	1998	223	17.3	15.1	19.6
	1999	224	17.1	14.9	19.3
	2000	241	18.0	15.7	20.2
	2001	196	14.4	12.4	16.4
	2002	199	14.4	12.4	16.5
	2003	175	12.6	10.8	14.5
2004	144	10.3	8.6	12.0	
AIDS	1980	1			
	1981	3			
	1982	7			
	1983	27			
	1984	53			
	1985	106			
	1986	193			
	1987	283	23.0	20.3	25.7
	1988	323	25.8	23.0	28.6
	1989	411	32.3	29.2	35.5
	1990	394	30.8	27.8	33.8
	1991	475	36.7	33.4	40.0
	1992	620	47.3	43.5	51.0
	1993	571	43.1	39.6	46.7
	1994	496	37.3	34.0	40.6
	1995	440	33.0	29.9	36.0
	1996	401	29.8	26.9	32.7
	1997	326	23.7	21.1	26.2
	1998	254	18.1	15.9	20.4
	1999	241	16.9	14.8	19.1
	2000	225	15.6	13.5	17.6
2001	220	15.1	13.1	17.1	
2002	226	15.3	13.3	17.3	
2003	219	14.6	12.7	16.6	
2004	138	9.1	7.6	10.6	